

# Bibliografía Botánica Ibérica, 2010

## Pteridophyta

Román Belmonte Andújar<sup>1</sup>

736. ABUL, Y.; MENÉNDEZ, V.; GÓMEZ-CAMPO, C.; REVILLA, M. A.; LAFONT, F. & FERNÁNDEZ, H. 2010. Occurrence of plants growth regulators in *Psilotum nudum*. *J. Plant Physiol.* 167(14): 1211-1213. (Quim, Ecol, *Psilotum*).
737. AROSA, M. L.; QUINTANILLA, L. G.; RAMOS, J. A.; CEIA, R. & SAMPAIO, H. 2009. Spore maturation and release of two macaronesian ferns, *Culcita macrocarpa* and *Woodwardia radicans*, along an actitudinal gradient. *Amer. Fern J.* 99(4): 260-272. (Ecol, *Culcita*, *Woodwardia*).
738. AROSA, M. L.; RAMOS, J. A.; QUINTANILLA, L. G. & BROWN, D. 2010. First report of fern (*Culcita macrocarpa*) spore consumption by a small mammal (*Apodemus sylvaticus*). *Mammalian Biology* 75: 115-121. (Ecol, Bfloral, *Culcita*).
739. BARRIADA, J. L.; CARIDAD, S.; LODEIRO, P.; HERRERO, R. & SASTRE DE VICENTE, M. E. 2009. Physicochemical characterisation of the ubiquitous bracken fern as useful biomaterial for preconcentration of heavy metals. *Bioresource Technology* 100(4): 1561-1567. (Rem, *Pteridium*).
740. BELLEFROID, E.; RAMBE, S. K.; LEROUX, O. & VIANE, R. L. L. 2010. The base number of "loxoscapoid" in *Aspleniaceae*. *Ann. Bot.* 106(1): 157-171. (Cariol, Anat, *Asplenium*).
741. BELMONTE ANDÚJAR, R. 2010. Bibliografía Botánica Ibérica. Pteridophyta. *Bot. Complut.* 34: 123-125. (Bibl).
742. BUSUTTIL, K. 2010. Water ferns reveal the secret to underwater success: surface science. *Materials Today* 13(7-8): 14. (Ecol, Quim, *Salvinia*).
743. DEEB, F.; VAN DER WEELE, C. M. & WOLNIAK, S. M. 2010. Spermidine is a morphogenetic determinant for cell fate specification in the male gametophyte of the water fern *Marsilea vestita*. *Plant Cell* 22(11): 3678-3691. (Bfloral, Quim, *Marsilea*).
744. EKRT, L. & HRIVNAK, R. 2010. *Asplenium platyneuron*, a new pteridophyte for Europe. *Preslia* 82(3): 357-364. (Tax, *Asplenium*).
745. FERNÁNDEZ-ZAMUDIO, R.; GARCÍA-MURILLO, P. & CIRUJANO, S. 2010. Germination characteristics and spore-ling success in *Azolla filiculoides* Lamarck, an aquatic invasive fern, in a Mediterranean temporary wetland. *Aquatic Botany* 93(2): 89-92. (Bfloral, *Azolla*).
746. FONS, F.; FROISSARD, D.; BESSIERE, J. M.; BUATOIS, B. & RAPIOR, S. 2010. Biodiversity of volatile organic compounds from five French ferns. *Natural Products Communications* 5(10): 1655-1658. (Quim, *Adiantum*, *Athyrium*, *Blechnum*, *Dryopteris*).
747. GABANCHO, L. R.; PRADA, C. & GALÁN, J. M. G. Y. 2010. Sexuality and apogamy in the Cuban *Asplenium auritum-monodon* complex (*Aspleniaceae*). *Plant Systematics Evol.* 289(3-4): 137-146. (Bfloral, *Asplenium*).
748. GALÁN, J. M. G. Y. & PRADA, C. 2010. Gametophyte of the Andean fern *Cheilanthes pilosa* Goldm. (Pteridaceae). *Amer. Fern J.* 100(1): 32-38. (Anat, Bfloral, *Cheilanthes*).
749. GALÁN, J. M. G. Y. & PRADA, C. 2010. Gametophyte of the Andean fern *Polystichum pycnolepis* (Kunze ex Klotzsch) T. Moore (*Dryopteridaceae*). *Amer. Fern J.* 100(2): 103-109. (Anat, Bfloral, *Polystichum*).
750. GONZÁLEZ, G. E.; PRADA, C. & ROLLERI, C. H. 2010. New chromosome count for *Blechnum hastatum* (*Blechnaceae-Pteridophyta*), with a study of the ontogeny and types of adult leptosporangia. *Gayana Botanica* 67(1): 52-64. (Anat, Cariol, *Blechnum*).
751. HENNEQUIN, S.; EBIHARA, A.; DUBUISSON, J. I. & SCHNEIDER, H. 2010. Chromosome number evolution in *Hymenophyllum* (Hymenophyllaceae), with special reference to the subgenus *Hymenophyllum*. *Mol. Phylogen. Evol.* 55(1): 47-59. (Cariol, *Hymenophyllum*).
752. HUANG, S. Q.; ZHANG, Z. X.; LI, Y. Z.; LI, Y. X. & XU, H. H. 2010. Anti-insect activity of the methanol extracts of fern and gymnosperm. *Agricultural Sciences in China* 9(2): 249-256. (Quim).
753. HU, X. Y.; ZHAI, J. W.; WANG, F. G. & XU, X. L. 2010. Simple treatment to investigate spore germination spore and spore ornamentation of ferns for SEM observation from herbarium specimens. *Pakistan J. Bot.* 42(4): 2335-2338. (Herb, Anat).
754. JAMPEETONG, A. & BRIX, H. 2009. Effects of NH<sub>4</sub> concentration on growth, morphology and NH<sub>4</sub> uptake kinetics of *Salvinia natans*. *Ecol. Engineering* 35(5): 695-702. (Ecol, Quim, Rem, *Salvinia*).
755. JIMÉNEZ, A.; HOLDEREGGER, R.; CSENSICS, D. & QUINTANILLA, L. G. 2010. Microsatellites reveal substantial among-population genetic differentiation and strong inbreeding in the relict fern *Dryopteris aemula*. *Ann. Bot.* 106(1): 149-155. (Quim, Bfloral, *Dryopteris*).

<sup>1</sup> Departamento de Biología Vegetal I, Facultad de Biología, Universidad Complutense de Madrid. rom\_bel\_and@yahoo.es

756. HUNT, H. V.; ANSELL, S. W.; RUSSELL, S. J.; SCHNEIDER, H. & VOGEL, J. C. 2010. Genetic diversity and phylogeography in two diploid ferns, *Asplenium fontanum* subsp. *fontanum* and *A. petrarckae* subsp. *bivalens*, in the western Mediterranean. *Mol. Ecol.* 18(23): 4940-4954. (SisM, Ecol, Corol, *Asplenium*).
757. KORALL, P.; SCHUETTPPELZ, E. & PRYER, K. M. 2010. Abrupt deceleration of molecular evolution linked to the origin of arborescence in ferns. *Evolution* 64(9): 2786-2792. (Evol).
758. KREFT, H.; JETZ, W.; MUTKE, J. & BARTHLOTT, W. 2010. Contrasting environmental and regional effects on global pteridophyte and seed plant diversity. *Ecography* 33(2): 408-419. (Ecol, Corol).
759. INDRIOVO, E.; NA, G.; ELLIS, D.; SALT, D. E. & BANKS, J. A. 2010. A vacuolar arsenite transporter necessary for arsenic tolerance in the arsenic hyperaccumulating fern *Pteris vittata* is missing in flowering plants. *Plant Cell* 22(6): 2045-2057. (Anat, Quim, *Pteris*).
760. LETERME, P.; LONDOÑO, A. M.; MUÑOZ, J. E.; SUÁREZ, J.; BEDOYA, C. A.; SOUFFRANT, W. A. & BULDGEN, A. 2009. Nutricional value of aquatic ferns (*Azolla filiculoides* Lam. and *Salvinia molesta* Mitchell). *Animal Feed Science and Technology*, 149(1-2): 135-148. (*Azolla*, *Salvinia*).
761. LO GULLO, M. A.; RAIMONDO, F.; CRISAFULLI, A.; SALLEO, S. & NARDINI, A. 2010. Leaf hydraulic architecture and water relations of three ferns form contrasting light habitats. *Functional Plant Biology* 37(6): 566-574. (Anat, *Azolla*, *Salvinia*).
762. LÓPEZ-GARCÍA, M.; LODEIRO, P.; BARRIADA, J. L.; HERRERO, R. & SASTRE DE VICENTE, M. E. 2010. Reduction of Cr(VI) levels in solution using bracken fern biomass: Batch and Column studies. *Chemical Engineering J.* 165(2): 517-523. (Quim, Rem, *Pteridium*).
763. MA, X. Y.; XIE, C. X.; LIU, C.; SONG, J. Y.; YAO, H.; WO, K.; ZHU, Y. J.; GAO, T.; PANG, K. H.; QIAN, J. & CHEN, S. L. 2010. Species identification of medical pteridophytes by a DNA barcode marker, the chloroplast psbA-truH intergenic region. *Biolog. & Pharmaceutical Bull.* 33(11): 1999-1924. (SisM, Etnob).
764. PERRIE, L. R.; SHEPHERD, L. D.; DE LANGE, P. J. & BROWNSEY, P. J. 2010. Parallel polyploid speciation: distinct sympatric gene-pools of recurrently derived allooctoploid *Asplenium* ferns. *Molec. Ecol.* 19(14): 2916-2932. (Cariol, Evol, *Asplenium*).
765. PRUNIER, F. & DELGADO MARZO, J. M. 2010. *Marsilea strigosa* Willd. en dos localidades de la provincia de Córdoba. *Acta Bot. Malac.* 35: 187-189. (Flora, *Marsilea*).
766. PRYER, K. M.; SCHUETTPPELZ, E.; HUIET, L.; GRUSZ, A. L.; ROTHFELS, C. J.; AVENT, T.; SCHWARTZ, D. & WINDHAM, M. D. 2010. DNA barcoding exposes a case of mistaken identity in the fern horticultural trade. *Mol. Ecol. Resources* 10(6): 979-985. (SisM).
767. RADHIKA, N. K.; SREEJITH, P. S. & ASHA, V. V. 2010. Cytotoxic and apoptotic activity of *Cheilanthes farinosa* (Forsk.) Kaulf. against human hepatoma, Hep33 cells. *J. Ethnopharmacol.* 128(1): 166-171. (Etnob, Quim, *Cheilanthes*).
768. RAI, H. S. & GRAHAM, S. W. 2010. Utility of a large multigene plastid data set in inferring higher-order relationship in ferns and relatives (Monilophytes). *Amer. J. Bot.* 97(9): 1444-1456. (SisM).
769. REINTAL, M.; TALI, K.; HALDNA, M. & KULL, T. 2010. Habitat preferences as related to the prolonged dormancy of perennial herbs and ferns. *Plant Ecology* 210(1): 111-123. (Ecol).
770. ROCCOTIELLO, E.; MANFREDI, A.; DRAVA, G.; MINGANTI, V.; MARIOTTI, M. G.; BERTA, G. & CORNARA, L. 2010. Zinc tolerance and accumulation in the ferns *Polypodium cambricum* L. and *Pteris vittata* L. *Ecotoxicol. Environm. Safety* 73(6): 1264-1271. (Quim, Rem, *Polypodium*, *Pteris*).
771. ROLLERI, C. H.; MARTÍNEZ, O. G. & PRADA, C. 2010. *Huperzia reflexa* y *Lycopodiella cernua* (*Lycopodiales*-*Pteridophyta*): dos nuevas citas para el NO de la Argentina y actualizaciones sobre su morfología. *Bot. Complut.* 34: 41-49. (Flora, *Huperzia*, *Lycopodiella*).
772. RODRÍGUEZ-GIL, J. L.; CATALÁ, M.; GONZÁLEZ ALONSO, S.; ROMO MAROTO, R.; VARCÁRCCEL, Y.; SEGURA, Y.; MOLINA, R.; MELERO, J. A. & MARTINEZ, F. 2010. Heterogeneous Photo-Fenton treatment for the reduction of pharmaceutical contamination in Madrid rivers and ecotoxicological evaluation by a miniaturized fern spores bioassay. *Chemosphere* 80(4): 381-388. (Rem, Quim).
773. SCHNELLER, J. & KRATTINGER, K. 2010. Genetic composition of swiss and Austrian members of the apogamous *Dryopteris affinis* complex (*Dryopteridaceae*, *Polypodiopsida*) based on ISSR markers. *Plant Syst. Evol.* 286(1-2): 1-6. (SisM, *Dryopteris*).
774. SHINOZAKI, J.; SHIBUYA, M.; TAKAHATA, Y.; MASUDA, K. & EBIZUKA, Y. 2010. Molecular evolution of ferns squalene cyclases. *ChemBiochem* 11 (3): 426-433. (Quim).
775. SINGH, N.; RAJ, A.; KHARE, P. B.; TRIPATHI, R. D. & JAMIL, S. 2010. Arsenic accumulation pattern in 12 Indian ferns and assessing the potential of *Adiantum capillus-veneris*, in comparison to *Pteris vittata* as arsenic hyperaccumulator. *Bioresource Technol.* 101(23): 8960-8968. (Quim, Rem, *Adiantum*, *Pteris*).
776. SOMER, M.; ARBESU, R.; MENÉNDEZ, V.; REVILLA, M. A. & FERNÁNDEZ, H. 2010. Sporophyte induction studies in ferns in vitro. *Euphytica* 171(2): 203-210. (Bfloral, Cult).
777. SRIVASTAVA, A. & CHANDRA, S. 2009. Structure and organization of the rhizome vascular system of four *Polypodium* species. *Amer. Fern J.* 99(3): 182-193. (Anat, *Polypodium*).
778. SRIVASTAVA, M.; SANTOS, J. & SRIVASTAVA, P. 2010. Comparison of arsenic accumulation in 18 fern species and four *Pteris vittata* accessions. *Bioresource Technol.* 101(8): 2691-2699. (Quim, Rem, *Pteris*).

779. TAYLOR, T. N.; TAYLOR, E. L. & KRINGS, M. 2009. Ferns and early fernlike plants. *Paleobotany, Biology and Evolution of Fossil Plants*: 383-478. (Evol, Palin, Tax).
780. TAYLOR, T. N.; TAYLOR, E. L. & KRINGS, M. 2009. Paleozoic seed ferns. *Paleobotany, Biology and Evolution of Fossil Plants*: 529-619. (Evol, Palin, Tax).
781. TAYLOR, T. N.; TAYLOR, E. L. & KRINGS, M. 2009. Mesozoic seed ferns. *Paleobotany, Biology and Evolution of Fossil Plants*: 621-650. (Evol, Palin, Tax).
782. WANG, H. B.; WONG, M. H.; LAN, C. Y.; QIN, Y. P.; SHU, W. S.; QIU, R. L. & YE, Z. H. 2010. Effect of arsenic on flavonoid contents in *Pteris* species. *Biochem. Syst. Ecol.* 38(4): 529-537. (Quim, Rem, *Pteris*).
783. WOLF, P. G.; ROPER, J. M. & DUFFY, A. M. 2010. The evolution of chloroplast genome structure in ferns. *Genoma* 53(9): 731-738. (Evol, SisM).
784. WUBS, E. R. J.; DE GROOT, G. A.; DURING, H. J.; VOGEL, J. C.; GRUNDMANN, M.; BREMER, P. & SCHNEIDER, H. 2010. Mixed mating system in the fern *Asplenium scolopendrium* implications for colonization potencial. *Ann. Bot.* 106(4): 583-590. (Bfloral, *Asplenium*).

## ÍNDICE TEMÁTICO

- Anatomía** (Anat): 740, 748, 749, 750, 753, 759, 761, 777.  
**Bibliografía** (Bibl): 741.  
**Cariología** (Cariol): 740, 750, 751, 764.  
**Catálogos florales** (Flora): 765, 771.  
**Corología** (Corol): 756, 758.  
**Cultivos** (Cult): 776.  
**Estrategias reproductoras** (Bfloral): 738, 743, 745, 747, 748, 749, 755, 776, 784.  
**Etnobotánica** (Etnob): 763, 767.  
**Palinología** (Palin): 779, 780, 781.  
**Evolución** (Evol): 757, 764, 779, 780, 781, 783.  
**Ecología** (Ecol): 736, 737, 738, 742, 754, 756, 758, 769.  
**Fitoquímica** (Quim): 736, 742, 743, 746, 752, 754, 755, 759, 762, 767, 770, 772, 774, 775, 778, 782.  
**Fitorremediación** (Rem): 739, 754, 762, 770, 772, 775, 778, 782.  
**Herbarios** (Herb): 753.  
**Sistemática molecular** (SisM): 756, 763, 766, 768, 773, 783.  
**Taxonomía** (Tax): 744, 779, 780, 781.

## ÍNDICE TAXONÓMICO

- Adiantum*: 746, 775.  
*Asplenium*: 740, 744, 747, 756, 764, 784.  
*Athyrium*: 746.  
*Azolla*: 745, 760, 761.  
*Blechnum*: 746, 750.  
*Cheilanthes*: 748, 767.  
*Culcita*: 737, 738.  
*Dryopteris*: 746, 755, 773.  
*Huperzia*: 771.  
*Hymenophyllum*: 751.  
*Lycopodiella*: 771.  
*Marsilea*: 743, 765.  
*Polypodium*: 770, 777.  
*Polystichum*: 749.  
*Pteridium*: 739, 762.  
*Pteris*: 759, 770, 775, 778, 782.  
*Psilotum*: 736.  
*Salvinia*: 742, 754, 760, 761.  
*Woodwardia*: 737.