

Bibliografía Botánica Ibérica, 2014

Líquenes

Ana Rosa Burgaz¹

- 1643 AUGUSTO, S.; PEREIRA, M. J.; MÁGUAS, C. & BRANQUINHO, C. 2013. A step towards the use of biomonitoring as estimators of atmospheric PAHs for regulatory purposes. *Chemosphere* 92(5): 626-632. (Ecol, Quim, Portugal). <http://dx.doi.org/10.1016/j.chemosphere.2013.03.068>
- 1644 BOLUDA, C. G.; RICO, V. J. & HAWKSWORTH, D. L. 2014. Fluorescence microscopy as a tool for the visualization of lichen substances within *Bryoria* thalli. *Lichenologist* 46(5): 723-726. (Anat, Quim, Bryoria, M, O, Sg). doi: 10.1017/S0024282914000292
- 1645 BURGAZ, A. R. 2014. Bibliografía interesante para la flora liquenológica peninsular, 2012-2013. *Clementeana* 15: 17-22. (Bibl).
- 1646 BURGAZ, A. R. 2014. Bibliografía Botánica Ibérica, 2014. Líquenes. *Bot. Complut.* 38: 171-173. (Bibl).
- 1647 BURGAZ, A. R. 2014. Líquenes de Andalucía (S de España): catálogo bibliográfico y nuevos datos del NW del área. *Bot. Complut.* 38: 53-88. (Flora, Al, Ca, Co, H, J, Ma, Se). doi.org/10.5209/rev_BCOM.2014.v38.45775.
- 1648 CATALÁ, M.; GASULLA, F.; PRADAS DEL REAL, A. E.; GARCÍA-BREIJO, F. & REIG-ARMIÑANA, J. 2013. The organic air pollutant cumene hydroperoxide interferes with NO antioxidant role in rehydrating lichen. *Environ. Pollut.* 179: 277-284. (Quim, Ramalina, Trebouxia, Asterochloris, Cs).
- 1649 CONCOSTRINA-ZUBIRI, L.; MARTÍNEZ, I.; RABASA, S. G.; ESCUDERO, A. 2014. The influence of environmental factors on biological soil crust: from a community perspective to a species level. *J. Veg. Sc.* 25: 503-513. (Ecol, Ab, Cu, Gu, M, Mu).
- 1650 CONCOSTRINA-ZUBIRI, L.; PESCADOR, D. S.; MARTÍNEZ, I.; ESCUDERO, A. 2014. Climate and small scale factors determine functional diversity shifts of biological soil crusts in Iberian drylands. *Biodivers. Conserv.* 23: 1757-1770. (Ecol, España).
- 1651 DELGADO-BAQUERIZO, M.; MORILLAS, L.; MAESTRE, F. T. & GALLARDO, A. 2013. Biocrusts control the nitrogen dynamics and microbial functional diversity of semi-arid soils in response to nutrient additions. *Plant and Soil* 372: 643-654. (Ecol, Al).
- 1652 DIVAKAR, P. K.; CRESPO, A.; NÚÑEZ-ZAPATA, J.; FLAKUS, A.; SIPMAN, H.; ELIX, J. A. & LUMBSCH, H. T. 2013. A molecular perspective on generic concepts in the *Hypotrichyna* clade (Parmeliaceae, Ascomycota). *Phytotaxa* 132(1): 21-38. (SisM, Hypotrichyna, Parmelinopsis, Parmeliopsis, Bi, C, Ca, M).
- 1653 DOMÍNGUEZ-MORUECO, N.; MORENO, H.; BARRENO, E. & CATALÁ, M. 2014. Preliminary assessment of terrestrial microalgae isolated from lichens as testing species for environmental monitoring: lichen phycobionts present high sensitivity to environmental micropollutants. *Eco-tox. Environ. Safe.* 99: 35-44. (Quim, Ramalina, Trebouxia, Asterochloris, Cs).
- 1654 ERTZ, D.; TEHLER, A.; FISCHER, E.; KILLMANN, D.; RAZAFINDRAHAJA, T. & SÉRUSIAUX, E. 2014. *Isalonactis*, a new genus of Roccellaceae (Arthoniales), from southern Madagascar. *Lichenologist* 46(2): 159-167. (SisM, Dendrographa, Roccella, Schismatomma, Ca, PM, Portugal). doi: 10.1017/S002428291300090X
- 1655 ERTZ, D.; TEHLER, A.; IRESTEDT, M.; FRISCH, A.; THOR, G. & VAN DEN BOOM, P. 2014. A large-scale phylogenetic revision of Roccellaceae (Arthoniales) reveals eight new genera. *Fungal Diversity* 70: 31-53. (SisM, Dirina, Diroma, Ocelloma, Roccella, PM, Portugal). doi: 10.1007/s13225-014-0286-5
- 1656 FERNÁNDEZ-BRIME, S.; LLIMONA, X.; HLADUN, N. & GAYA, E. 2014. The pantropical species *Diploschistes ramboldensis*, first record in Europe. *Mycotaxon* 129(29): 387-395. (Tax, Diploschistes, Ge). doi: 10.5248/129.387
- 1657 GARRIDO-BENAVENT, I.; LLOP, E. & GÓMEZ-BOLEA, A. 2015. The effect of agriculture management and fire on epiphytic lichens on holm oak trees in eastern Iberian Peninsula. *Lichenologist* 47(1): 59-76. (Ecol, V).
- 1658 GIORDANI, P.; CALATAYUD, V.; STOFER, S.; SEIDLING, W.; GRANKE, O. & FISHER, R. 2014. Detecting the nitrogen critical loads on European forests by means of epiphytic lichens. A signal-to-noise evaluation. *Forest Ecol. Manag.* 311: 29-40. (Ecol, Quim, Esp). doi: 10.1016/j.foreco.2013.05.048
- 1659 HAFELLNER, J.; OBERMAYER, W. & TRETIACH, M. 2014. *Miriquidica invadens*, an obligate youth parasite on *Sporastatia*, with remarks and a key to species of the *M. griseoatra* group. *Lichenologist* 46(3): 303-331. (Tax, Miriquidica, M).
- 1660 HODKINSON, B. P. & HODKINSON, S. Z. 2014. Recent literature on lichens 232, 233, 235. *Bryologist* 117: 80-87, 209-214, 418-424. (Bibl).
- 1661 MAESTRE, F. T.; ESCALAR, C.; LADRÓN DE GUEVARA, M.; QUERO, J. L.; LÁZARO, R.; DELGADO-BAQUERIZO, M.;

¹ Departamento de Biología Vegetal I, Facultad de Biología, Universidad Complutense de Madrid. arbburgaz@bio.ucm.es

- OCHOA, V.; BERDUGO, M.; GOZALO, B. & GALLARDO, A. 2013. Changes in biocrust cover drive carbon cycle responses to climate change in drylands. *Global Change Biology* 19: 3835-3847. (Ecol, Al).
- 1662 MAGAIN, N. & SÉRUSIAUX, E. 2015. The lichen genus *Kroschia* is a synonym of *Fuscopannaria* (*Pannariaceae*). *Lichenologist* 47(1): 35-42. (SisM, *Fuscopannaria*, Portugal).
- 1663 MARTÍNEZ, I.; FLORES, T.; ARAGÓN, G.; OTÁLORA, M. A. G.; RUBIO-SALCEDO, M. 2014. What factors influence the occurrence of the genus *Degelia* (a threatened lichen) in central Spain? *Fungal Ecology* 11: 50-59. (Ecol, *Degelia*, Ab, CR, To).
- 1664 MERINERO, S.; RUBIO-SALCEDO, M.; ARAGÓN, G.; MARTÍNEZ, I. 2014. Environmental factors that drive the distribution and abundance of a threatened cyanolichen in southern Europe: A multi-scale approach. *Am. J. Bot.* 101: 1876-1885. (Ecol, Conser, *Lobaria*, Ab, Ca, CR, Gu, J, Le, M, Ma, Na, P, To, Za, Portugal).
- 1665 MILLANES, A. M.; TRUONG, C.; WESTBERG, M.; DIEDERICHH, P. & WEDIN, M. 2014. Host switching promotes diversity in host-specialized mycoparasitic fungi: uncoupled evolution in the *Biatoropsis-Usnea* system. *Evolution* 68(6): 1576-1593. (SisM, *Biatoropsis*, *Protousnea*, *Usnea*, España, Portugal).
- 1666 MONTOJO SANTOS, C. & LÓPEZ DE SILANES VÁZQUEZ, M. E. (Ed.) 2014. *Las ruinas de Santo Domingo de Pontevedra*. Universidade de Santiago de Compostela. (Conser, Po).
- 1667 MOTIEJŪNAITĖ, J. & GROCHOWSKI, P. 2014. Miscellaneous new records of lichens and lichenicolous fungi. *Herzogia* 27(1): 193-198. (Flora, *Rhymbocarpus*, Portugal).
- 1668 MUGGIA, L.; PÉREZ-ORTEGA, S.; KOPUN, T.; ZELLNIG, G. & GRUBE M. 2014. Photobiont selectivity leads ecological tolerance and evolutionary divergence in a polymorphic complex of lichenized fungi. *Ann. Bot.* 114(3): 463-475. (SisM, *Tephromela*, *Trebouxia*). doi:10.1093/aob/mcu146
- 1669 MUGGIA, L.; PÉREZ-ORTEGA, S.; FRYDAY, A.; SPRIBILLE, T. & GRUBE, M. 2014. Global assessment of genetic variation and phenotypic plasticity in the lichen-forming species *Tephromela atrata*. *Fungal Divers.* 64(1): 233-251. (SisM, *Tephromela*, Esp). doi: 10.1007/s13225-013-0271-4
- 1670 NYATI, S.; SCHERRER, S.; WERTH, S. & HONEGGER, R. 2014. Green-algal photobiont diversity (*Trebouxia* spp.) in representatives of *Teloschistaceae* (*Lecanoromycetes*, lichen forming ascomycetes). *Lichenologist* 46(2): 189-212. (SisM, *Xanthoria*, M, PM). doi: 10.1017/S0024282913000819
- 1671 OBERMAYER, W. 2014. Lichenotheca Graecensis, fasc. 22 (nº 421-440). *Fritschiana* 78: 1-7. (Flora, *Cladonia*, *Parmelina*, PM).
- 1672 OTÁLORA, M. A. G.; JØRGENSEN, P. M. & WEDIN, M. 2014. A revised generic classification of the jelly lichens, *Collemataceae*. *Fungal Divers.* 64: 275-293. (SisM, *Collemataceae*). doi: 10.1007/s13225-013-0266-1
- 1673 PÉREZ-ORTEGA, S.; SUIJA, A.; CRESPO, A. & DE LOS RÍOS, A. 2014. Lichenicolous fungi of the genus *Abrothallus* (*Dothideomycetes*: *Abrothallales* ordo nov.) are sister to the predominantly aquatic *Janhulales*. *Fungal Divers.* 64(1): 295-304. (SisM, *Abrothallus*, Esp, Portugal) doi: 10.1007/s13225-013-0269-y
- 1674 PINO-BODAS, R.; AHTI, T. & BURGAZ, A. R. 2014. *Cladonia islandica* (*Cladoniaceae*, *Ascomycota*), a species newly discovered in Spain, Alaska and Canada. *Bot. Complut.* 38: 35-52. (SisM, *Cladonia*, Sa). doi.org/10.5209/rev_BCOM.2014.v38.45772.
- 1675 SÁNCHEZ, F. J.; MEELEN, J.; RUÍZ, M. C.; SANCHO, L. G.; OTT, S.; VÍLCHEZ, C.; HORNEK, G.; SADOWSKY, A. & DE LA TORRE, R. 2014. UV-C tolerance of symbiotic *Trebouxia* sp. in the spece-tested lichen species *Rhizocarpon geographicum* and *Circinaria gyroza*: role of the hydration state and cortex/screening substances. *Int. J. Astrobiol.* 13(1): 1-18. (Ecol, *Circinaria*, *Rhizocarpon*, M, Gu). doi: 10.1017/S147355041300027X
- 1676 SERIÑA, E.; ARROYO, M. R.; ARAUJO, E.; BURGAZ, A. R.; ATIENZA, V.; FERNÁNDEZ-BRIME, S.; RICO, V. J.; LLOP, E.; LÓPEZ DE SILANES, M. E.; MARCOS-LASO, B.; MARQUES, J.; MERINERO, S.; PÉREZ-ORTEGA, S.; RUBIO, M. & VIVAS, M. 2014. Hongos liquenizados y liquenócolas de la Sierra de Albarracín, Teruel, España. *Bot. Complut.* 38: 33-50. (Flora, Te). doi.org/10.5209/rev_BCOM.2014.v38.45774.
- 1677 SPRIBILLE, T.; RESL, P.; AHTI, T.; PÉREZ-ORTEGA, S.; MAYRHOFER, H. & LUMBSCH, H. T. 2014. Molecular systematics of the wood-inhabiting, lichen-forming genus *Xylographa* (*Baeomycetales*, *Ostropomycetidae*) with eight new species. *Symb. Bot. Upsal.* 37(1): 1-87. (SisM, *Xylographa*, Na, O).
- 1678 SUAREZ, E. 2014. Pequeño estudio sobre la flora fúngica de las turberas del Sistema Ibérico turolense. *Yesca* 26: 73-102. (Flora, *Basidiomycota*, Te).
- 1679 SUIJA, A.; DE LOS RÍOS, A. & PÉREZ-ORTEGA, S. 2014. A molecular reappraisal of *Abrothallus* species growing on lichens of the order *Peltigerales*. *Phytotaxa* 195(3): 201-226. (SisM, *Abrothallus*, Portugal). http://dx.doi.org/10.11646/phytotaxa.195.3.1
- 1680 WERTH, S.; MILLANES, A. M.; WEDIN, M. & SCHEIDECKER, C. 2013. Lichenicolous fungi show population subdivision by host species but do not share population history with their hosts. *Fungal Biology* 117: 71-84. (SisM, *Lobaria*, *Tremella*, Portugal).
- 1681 ZAMORA, J. C.; PÉREZ-ORTEGA, S. & RICO, V. J. 2014. *Heteroacanthella ellipsospora* sp. nov., the first lichenicolous basidiomycete with acanthoid basidia. *Lichenologist* 46(1): 17-23. (Tax, *Heteroacanthella*, J, M). doi: 10.1017/S0024282913000765

ÍNDICE TEMÁTICO

- Anatomía** (Anat): 1644
Bibliografía (Bibl): 1645, 1646, 1660.
Conservación (Conser): 1664, 1666.
Ecología (Ecol): 1643, 1444, 1649, 1650, 1651, 1657, 1658, 1661, 1663, 1664, 1675.
Fitoquímica (Quim): 1643, 1648, 1653, 1658.
- Flora** (Flora): 1647, 1667, 1671, 1676, 1678.
Sistemática (Tax): 1656, 1659, 1681.
Sistemática Molecular (SisM): 1652, 1654, 1655, 1662, 1665, 1668, 1669, 1670, 1672, 1673, 1674, 1677, 1679, 1680.

NDICE TAXONÓMICO

- Abrothallus*: 1673, 1679.
Asterochloris: 1648, 1653.
Basidiomycota: 1678.
Biatoropsis: 1665.
Bryoria: 1644.
Cladonia: 1671, 1674.
Collemataceae: 1672.
Circinaria: 1675.
Degelia: 1663.
Dendrographa: 1654.
Diploschistes: 1656.
Dirina: 1655.
Diroma: 1655.
Fuscopannaria: 1662.
Heteroacanthella: 1681.
Hypotrachyna: 1652.
Lobaria: 1664, 1680.
- Miriquidica*: 1659.
Ocelloma: 1655.
Parmelina: 1671.
Parmelinopsis: 1652.
Parmeliopsis: 1652.
Protousnea: 1665.
Ramalina: 1648, 1653.
Rhizocarpon: 1675.
Rhombocarpus: 1667.
Rocella: 1654.
Schismatomma: 1654.
Tephromela: 1668, 1669.
Tremella: 1680.
Trebouxia: 1648, 1653, 1668, 1670.
Usnea: 1665.
Xylographa: 1677.

ÍNDICE GEOGRÁFICO

- Albacete** (Ab): 1649, 1663, 1664.
Almería (Al): 1647, 1651, 1661.
Asturias (O): 1644, 1677.
Baleares:
 Mallorca (Mll): 1654, 1655, 1670, 1671.
Cádiz (Ca): 1647, 1652, 1654, 1664.
Castellón (Cs): 1648, 1653.
Ciudad Real (CR): 1663, 1664.
Córdoba (Co): 1647.
Coruña, La (C): 1652.
Cuenca (Cu): 1649.
Gerona (Ge): 1656.
Guadalajara (Gu): 1649, 1664, 1675.
Huelva (H): 1647.
Huesca (Hu): 1581, 1596.
Jaén (J): 1647, 1664, 1681.
León (Le): 1664.
- Madrid** (M): 1644, 1649, 1652, 1659, 1664, 1670, 1675, 1681.
Málaga (Ma): 1647, 1664.
Murcia (Mu): 1649.
Navarra (Na): 1664, 1677.
Orense (Or): 1596.
Palencia (P): 1664.
Salamanca (Sa): 1674.
Segovia (Sg): 1644.
Sevilla (Se): 1647.
Toledo (To): 1663, 1664.
Valencia (V): 1656.
Vizcaya (Bi): 1652.
Zamora (Za): 1664.
ESPAÑA (Esp): 1650, 1658, 1665, 1669, 1668, 1672, 1673.
PORTUGAL: 1643, 1654, 1655, 1662, 1664, 1665, 1667, 1673, 1679, 1680.