

Bibliografía Botánica Ibérica, 2013-2014

Pteridophyta

Román Belmonte Andújar¹

- 835 AMICH GARCÍA, F. & BERNARDOS, S. 2013. La fitocenosis de *Cosentinia vellea* en el sector biogeográfico Lusitano Duríense (España-Portugal). *Bot. Complut.* 37: 93-98. (Corol, *Cosentinia*).
- 836 AYMERICH, P. & SÁEZ, L. 2013. Novedades pteridológicas dels Pirineus catalans. *Orsis* 27: 175-194. (Flora, *Cheilanthes, Cystopteris, Equisetum, Isoetes, Woodsia*).
- 837 BALESTRI, M.; BOTTEGA, S. & SPANO, C. 2014. Response of *Pteris vittata* to different cadmium treatments. *Acta Physiol. Plant.* 36(3): 767-775. (Ecol, *Pteris*).
- 838 BELMONTE ANDÚJAR, R. 2013. Bibliografía Botánica Ibérica, 2011-2012. Pteridophyta. *Bot. Complut.* 37: 217-219. (Bibl).
- 839 BOMFLEUR, B.; MCLOUGHLIN, S. & VAJDA, V. 2014. Fossilized nuclei and chromosomes reveal 180 million years of genomic stasis in Royal Ferns. *Science* 343(6177): 1376-1377. (Cariol, Evol, Palin).
- 840 BRUNI, I.; GENTILI, R.; DE MATTIA, F.; CORTIS, P.; ROSSI, G. & LABRA, M. 2013. A multi-level analysis to evaluate the extinction risk of and conservation strategy for the aquatic fern *Marsilea quadrifolia* L. in Europe. *Aquatic Bot.* 111: 35-42. (Ecol, *Marsilea*).
- 841 BYSTRIAKOVA, N.; ANSELL, S. W.; RUSSELL, S. J.; GRUNDMANN, M.; VOGEL, J. C. & SCHNEIDER, H. 2014. Present, past and future of the European rock fern *Asplenium fontanum*: combining distribution modeling and population genetics to study the effect of climate change on geographic range and genetic diversity. *Ann. Bot.* 113(3): 453-465. (Ecol, *Asplenium*).
- 842 CHEN, N. D.; CHEN, N. F.; CHEN, C. W. & ZHANG, L. 2013. Separation and structure elucidation of a new homoflavonol derivate from *Pteridium aquilinum* (L.) Kuhn. *Nat. Product Res.* 27(19): 1764-1769. (Quim, *Pteridium*).
- 843 CLERICUZIO, M.; BURLANDO, B.; GANDINI, G.; TINELLO, S.; RANZATO, E.; MARTINOTTI, S. & CORNARA, L. 2014. Keratinocyte wound healing activity of galactoglycerolipids from the fern *Ophioglossum vulgatum* L. *J. Nat. Medicines* 68(1): 31-37. (Quim, *Ophioglossum*).
- 844 CURTO CHAVARRIA, R.; ROYO PLA, F.; LÓPEZ ALVARADO, J. & SÁEZ, L. 2012. Three new *Asplenium* L. taxa (*Aspleniaceae*, Pteridophyta) for the flora of north-eastern Iberian Peninsula. *Orsis* 26: 45-50. (Flora, *Asplenium*).
- 845 DE GROOT, G. A. & DURING, H. 2013. Fern spore longevity in saline water: can sea bottom sediments maintain a viable spore bank? *Plos One* 8(11): e79470. (Cult, Ecol).
- 846 DELUCA, T. H.; ZEWIE, S. A.; ZACKRISSON, O.; HEALEY, J. R. & JONES, D. L. 2013. Bracken fern (*Pteridium aquilinum* L. Kuhn) promotes an open nitrogen cycle in heathland. *Plant and Soil* 367(2): 521-534. (Ecol, *Pteridium*).
- 847 DERZHAVINA, N. M. 2013. Evolutionary restrictions and compensatory adaptations in homosporous ferns. *Indian Fern J.* 30(1-2): 255-267. (Ecol, Evol).
- 848 DHIR, B. & SRIVASTAVA, S. 2013. Heavy metal tolerance in metal hyperaccumulator plant *Salvinia natans*. *Bull. Environ. Contam. Toxicol.* 90(6): 720-724. (Quim, Rem, *Salvinia*).
- 849 DUBUISSON, J. Y.; BARY, S.; EBIHARA, A.; CARNERO-DÍAZ, E.; BOUCHERON-DUBUISSON, E. & HENNEQUIN, S. 2013. Epiphytism, anatomy and regressive evolution in trichomanoid filmy ferns (*Hymenophyllaceae*). *Bot. J. Linn. Soc.* 173(4): 573-593. (Anat, Evol, *Hymenophyllum*).
- 850 DYER, R. J.; PELLICER, J.; SAVOLAINEN, V.; LETICH, I. J. & SCHNEIDER, H. 2013. Genome size expansion and the relationship between nuclear DNA content and spore size in the *Asplenium monanthes* fern complex (*Aspleniaceae*). *BMC Plant Biology* 13: 219. (Evol, SisM, *Asplenium*).
- 851 ENDERSBY, J. 2014. Fern fever: the story of pteridomania. *Vict. Stud.* 56(4): 752-754. (Biog).
- 852 FERNÁNDEZ ZAMUDIO, R.; CIRUJANO BRACAMONTE, S.; SÁNCHEZ CARRILLO, S.; MECO MOLINA, A. & GARCÍA MURILLO, P. 2013. Clonal reproduction of *Azolla filiculoides* Lam.: implications for invasiveness. *Limnetica* 32(2): 245-252. (Bfloral, Ecol, *Azolla*).
- 853 FONS, F.; FROISSARD, D.; BESSIÈRE, J. M.; FRUCHIER, A.; BUATOIS, B. & RAPIOR, S. 2013. Volatile composition of six horsetails: prospects and perspectives. *Nat. Prod. Commun.* 8(4): 509-512. (Quim, *Equisetum*).
- 854 GAGO, J.; COOPMAN, R. E.; CABRERA, H. M.; HERMIDA, C.; MOLINS, A.; CONESA, M. A.; GALMES, J.; RIBAS-CARBO, M. & FLEXAS, J. 2013. Photosynthesis limitations in three fern species. *Physiol. Plant.* 149(4): 599-611 (Ecol, Quim, *Osmunda*).
- 855 GERI, F.; LASTRUCCI, L.; VICIANI, D.; FOGGI, B.; FERRETTI, G.; MACCHERINI, S.; BONINI, I.; AMICI, V. & CHIARUCI, 2013. Mapping patterns of ferns species richness

¹ Departamento de Biología Vegetal I, Facultad de Biología, Universidad Complutense de Madrid. rom_bel_and@yahoo.es

- through the use of herbarium data. *Biodiver. Conserv.* 22(8): 1679-1690. (Herb, Corol, Flora, Veget).
- GONZÁLEZ-JURADO, G. 2014. A low-altitude new location for *Equisetum palustre* L. (Equisetales: Equisetaceae) in Jaén province (Spain). *Anales Biol.* 36: 19-21. (Flora, *Equisetum*).
- GREWE, F.; GUO, W. H.; GUBBELS, E. A.; HANSEN, A. K. & MOWER, J. P. 2013. Complete plastid genomes from *Ophioglossum californicum*, *Psilotum nudum* and *Equisetum hyemale* reveal an ancestral land plant genome structure and resolve the position of Equisetales among Monilophytes. *BMC Evol. Biol.* 13: 8. (Evol, *Equisetum*, *Psilotum*).
- HAUFLER, C. H. 2014. Ever since Klekowski: testing a set of radical hypotheses revives the genetics of ferns and lycophytes. *Am. J. Bot.* 101(12): 2036-2042. (Evol, SisM).
- IMAICHI, R. 2013. A new classification of the gametophyte development of homosporous ferns focusing on meristem behaviour. *Fern Gazette* 19(5): 141-156. (Anat).
- KIM, H. T.; CHUNG, M. G. & KIM, K. J. 2014. Chloroplast genome evolution in early diverged leptosporangiate ferns. *Mol. Cells* 37(5): 372-382. (Evol, SisM).
- LANDI, M.; ZOCCOLA, A.; BACARO, G. & ANGILIONI, C. 2014. Phenology of *Dryopteris affinis* ssp. *affinis* and *Polystichum aculeatum*: modeling relationships to the climatic variables in a Mediterranean area. *Plant Species Biology* 29(2): 129-137. (Ecol, *Dryopteris*, *Polystichum*).
- LIU, H. & SCHNEIDER, H. 2013. Evidence supporting *Davallia canariensis* as a Late Miocene relict endemic to Macaronesia and Atlantic Europe. *Australian System. Bot.* 26(5): 378-385. (Palin, *Davallia*).
- LESSL, J. J.; LUO, J. & MA, L. Q. 2014. *Pteris vittata* continuously removed arsenic from non-labile fraction in three contaminated soils during 3, 5 years of phytoextraction. *J. Hazardous Materials* 279: 485-492. (Aplic, Rem, *Pteris*).
- LI, X.; FANG, Y. H.; YANG, J.; BAI, S. N. & RAO, G. Y. 2013. Overview of the morphology, anatomy and ontogeny of *Adiantum capillus-veneris*: an experimental system to study the development of ferns. *J. System. Evol.* 51(5): 499-510. (Anat, *Adiantum*).
- MANDAL, A.; PURAKAYASTHA, T. J. & PATRA, A. K. 2014. Phytoextraction of arsenic contaminated soil by Chinese braken fern (*Pteris vittata*). Effect on soil microbiological activities. *Biology and Fertility of Soils* 50(8): 1247-1252. (Aplic, Rem, *Pteris*).
- MARRERO, A. & SÁNCHEZ-VELÁZQUEZ, T. 2013. *Asplenium terorense* G. Kunkel, una especie enigmática endémica de las Islas Canarias, aportaciones corológicas y comentarios taxonómicos en relación al grupo de *Asplenium obovatum*-*Asplenium billotii*. *Bot. Macaronesica* 28: 71-82. (Flora, *Asplenium*).
- MATEO SANZ, G. 2013. Los helechos autóctonos de la flora valenciana. *Chronica Naturae* 3: 58-65. (Flora).
- MCADAM, S. A. M. & BRODRIBB, T. J. 2013. Ancestral estomatal control results in a canalization of fern and lycophyte adaptation to drought. *New Phytologist* 198(2): 429-441. (Anat, Ecol, *Adiantum*).
- MEDIAHDI, B.; LETREUCH-BELAROUCI, A. & PRELLI, R. 2013. Actualisation du catalogue des pteridophytes du Nord Ouest Algerian (Region de Tlemcen). *Acta Bot. Malacitana* 38: 33-39. (Flora).
- MEHLTRETER, K. & SHARPE, J. M. 2013. Causes and consequences of the variability of leaf lifespan of ferns. *Fern Gazette* 19(6): 193-202. (Anat).
- NAKAHARA, S. B. R.; SANCHES, D. S.; CANICEIRO, B. D.; WYSOCHI, H. L.; DA SILVA, G. B. & LATORRE, A. O. 2013. Effects of selenium on *Pteridium aquilinum* and urethane-induced lung carcinogenesis. *Immunopharmacol. Immunotoxicol.* 35(5): 605-614. (Aplic, Tox, *Pteridium*).
- OLAIFA, F. E. & OMEKAM, A. J. 2014. Studies of phytoremediation of copper using *Pteridium aquilinum* (bracken fern) in the presence of bioestimulants and bioassays using *Clarias gariepinus* juveniles. *Intern. J. Phytorem.* 16(3): 219-234. (Aplic, Rem, *Pteridium*).
- PAOLI, L. & LANDI, M. 2013. The photosynthetic performance of sterile and fertile sporophytes in a natural population of the fern *Dryopteris affinis*. *Photosynthetica* 51(2): 312-316. (Quim, *Dryopteris*).
- PEREDO, E. L.; MÉNDEZ-COUZ, R.; REVILLA, M. A. & FERNÁNDEZ, H. 2013. Mating system in *Blechnum spicant* and *Dryopteris affinis* spp. *affinis* correlates with genetic variability. *American Fern J.* 103(1): 27-39. (SisM, *Blechnum*, *Dryopteris*).
- PÉREZ CARRO, F. & FERNÁNDEZ ARECES, M. P. 2013. *Dryopteris x orexpansa*, un nuevo híbrido, y *D. x deweberi* en Cantabria. *Flora Montiberica* 54: 150-161. (Flora, Cariol, *Dryopteris*).
- PERRIE, L. R.; WILSON, R. K.; SHEPHERD, L. D.; OHLSEN, D. J.; BATTY, E. L.; BROWNSEY, P. J. & BAYLY, M. J. 2014. Molecular phylogenetics and generic taxonomy of *Blechnaceae* ferns. *Taxon* 63(4): 745-758. (SisM, *Blechnum*).
- PITTERMAN, J.; BRODERSEN, C. & WATKINS, J. E. 2013. The physiological resilience of fern sporophytes and gametophytes: advances in water relations offer new insights into an old lineage. *Frontiers in Plant Science* 4: UNSP285. (Anat, Ecol).
- ROTHFELS, C. J.; WINDHAM, M. D. & PRYER, K. M. 2013. A plastid phylogeny of the cosmopolitan fern family *Cystopteridaceae* (Polypodiopsida). *Syst. Bot.* 38(2): 295-306. (SisM, *Cystopteris*).
- RUENK, K.; PIHKVA, K. & ZOBEL, K. 2014. Desirable site conditions for introduction sites for a locally rare and threatened fern species *Asplenium septentrionale* (L.) Hoffm. *J. Nat. Conserv.* 22(3): 272-278. (Conser, Ecol, *Asplenium*).
- SALEHZADEH, A.; NAEEMI, A.S. & ARASTEH, A. 2014. Biodiesel production from *Azolla filiculoides* (water fern). *Tropical J. Pharmac. Res.* 13(6): 957-960. (Aplic, *Azolla*).

- 881 SÁNCHEZ VELÁZQUEZ, T. 2013. A new species of *Cheilanthes* (*Sinopteridaceae*, *Pteridophyta*) from Gran Canaria (Canary Islands). *Bot. Macaronesica* 28: 21-23. (Flora, *Cheilanthes*).
- 882 SÁNCHEZ VELÁZQUEZ, T. 2013. *Trichomanes speciosum* (*Pteridophyta*, *Hymenophyllaceae*) en la isla de Gran Canaria, Islas Canarias. *Bot. Macaronesica* 28: 82-92. (Flora).
- 883 SANTOS GUERRA, A.; PADRÓN MEDEROS, M. A.; REYES BETANCORT, J. A.; MESA COELLO, R. & OJEDA LAND, E. 2013. Establecimiento de plantas introducidas en la flora vascular silvestre canaria I (Helechos, Gimnospermas y Monocotiledoneas). *Acta Bot. Malacitana* 38: 176-182. (Flora).
- 884 SANTOS GUERRA, A.; REYES BETANCORT, J. A.; DE SAÁ RODRÍGUEZ, L. & PÉREZ MATO, J. 2013. Helechos canarios: un rico patrimonio con una vieja historia. *Rincónes del Atlántico* 6-7: 70-81. (Herb).
- 885 SCHNEIDER, H.; NAVARRO-GÓMEZ, A.; RUSSELL, S. J.; ANSELL, S.; GRUNDMANN, M. & VOGEL, J. 2013. Exploring the utility of three nuclear regions to reconstruct reticulate evolution in the fern genus *Asplenium*. *J. Syst. Evol.* 51(2): 142-153. (Anat, *Asplenium*).
- 886 SIGEL, E. M.; WINDHAM, M. D.; HAUFER, C. H. & PRYER, K. M. 2014. Phylogeny, divergence time estimates, and phylogeography of the diploid species of the *Polypodium vulgare* complex (*Polypodiaceae*). *Syst. Bot.* 39(4): 1042-1055. (SisM, *Polypodium*).
- 887 SINESHCHEKOV, V.; KOPPEL, L.; OKAMOTO, H.; ET AL. 2014. Fern *Adiantum capillus-veneris* phytochrome 1 comprises two native photochemical types similar to seed plant phytochrome A. *J. Photochem. Photobiol. Biology* 130: 20-29. (Quim, *Adiantum*).
- 888 SOARE, L. C.; DOBRESCU, C. M.; POPESCU, M. & BOERU, A. G. 2013. The effects of some pesticides on spore germination and gametophyte differentiation in *Athyrium filix-femina* (L.) Roth and *Polypodium vulgare* L. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 41(2): 458-462. (Anat, Aplic, Cult, *Athyrium*, *Polypodium*).
- 889 SOLANA, P.; LÓPEZ-BERMÚDEZ, J.; MOYA, J.; ROBLES, J.; AZNAR, L.; CARRILLO LÓPEZ, A. F. & CARRIÓN VILCHES, M. A. 2012. Novedades para la flora de la región de Murcia II. *Anales Biol.* 34: 57-58. (Flora, *Cheilanthes*).
- 890 SUGAWARA, K.; KOBAYASHI, A.; ENDO, G.; HATAYAMA, M. & INOUYE, C. 2014. Evaluation of the effectiveness and salt stress of *Pteris vittata* in the remediation of arsenic contamination caused by tsunami sediments. *J. Environ. Sci. Health A Tox. Hazard. Subst. Environ. Eng.* 49 (14): 1631-1638. (Aplic, Rem, *Pteris*).
- 891 SUNDUE, M. A.; PARRIS, B. S.; RANKER, T. A.; SMITH, A. R.; FUJIMOTO, E. L.; ZAMORA-CROSBY, D.; MORDEN, C. W.; CHIOU, W. L.; CHEN, C. W.; ROUHAN, G.; HIRAI, R. Y. & PRADO, J. 2014. Global phylogeny and biogeography of grammitid ferns (*Polypodiaceae*). *Mol. Phylogen. Evol.* 81: 195-206. (SisM, Corol).
- 892 SUNDUE, M. A. & ROTHFELS, C. J. 2014. Stasis and convergence characterize morphological evolution in eu-polypod II ferns. *Ann. Bot.* 113(1): 35-54. (Anat, Evol).
- 893 TANAKA, J.; YANO, K.; AYA, K.; HIRANO, K.; TAKEHARA, S.; KOKETSU, E.; ORDINIO, R. L.; PARK, S. H.; NAKATIMA, M.; UEGUCHI-TANAKA, M. & MATSUOKA, M. 2014. Antheridiogen determines sex in ferns via a spatiotemporally split gibberelin synthesis pathway. *Science* 346(6208): 469-473. (Quim).
- 894 TOMSIK, P. 2014. Ferns and lycopods. A potential treasury of anticancer agents but also a carcinogenic hazard. *Phytother. Res.* 28(6): 798-810. (Aplic, Tox).
- 895 VALLEDOR, L.; MENÉNDEZ, V.; CANAL, M. J.; REVILLA, A. & FERNÁNDEZ, H. 2014. Proteomic approaches to sexual development mediated by antheridiogen in the fern *Blechnum spicant* L. *Proteomics* 14(17-18): 2061-2071. (Bfloral, Quim, *Blechnum*).
- 896 VASCO, A.; MORÁN, R. C. & AMBROSE, B. A. 2013. The evolution, morphology and development of fern leaves. *Front. Plant Sci.* 4: 345. (Anat).
- 897 VICENT, M.; GABRIEL Y GALÁN, J. M. & AINOÜCHE, A. 2014. Insight into fern evolution: a mechanistic approach to main concepts and study techniques. *Bot. Complut.* 38: 7-24. (Evol, SisM).
- 898 VIJAYALAKSHMI, A. & KUMAR, Y. K. 2013. Evaluation of goitrogenic and antithyroidal effect of the fern *Adiantum capillus-veneris*. *Braz. J. Pharmacol.* 23(5): 802-810. (Etnob, *Adiantum*).
- 899 WAN, X. M.; LEI, M.; ZHOU, X. Y.; YANG, J.; CHEN, T. B. & ZHOU, G. D. 2014. Characterization of arsenic uptake in living *Pteris vittata* L. *Instrum. Sci. Technol.* 42(6): 667-677. (Aplic, Rem, *Pteris*).

ÍNDICE TEMÁTICO

- Anatomía** (Anat): 849, 859, 864, 868, 870, 877, 885, 888, 892, 896.
- Aplicada** (Aplic): 863, 865, 871, 872, 880, 888, 890, 894, 899.
- Bibliografía** (Bibl): 838.
- Cariología** (Cariol): 839, 875.
- Catálogos florales** (Flora): 836, 844, 855, 856, 866, 867, 869, 875, 881, 882, 883, 889.
- Conservación** (Conser): 879.
- Corología** (Corol): 835, 855, 891.
- Cultivos** (Cult): 845, 888.
- Estrategias reproductoras** (Bfloral): 852, 895.

Etnobotánica (Etnob): 898.
Evolución (Evol): 839, 845, 847, 849, 850, 857, 858, 860, 892, 897.
Ecología/Factores ecológicos (Ecol): 837, 840, 841, 846, 847, 852, 854, 861, 868, 877, 879.
Fitoquímica (Quim): 842, 843, 848, 853, 854, 873, 887, 893, 895.
Fitorremediación (Rem): 848, 863, 865, 872, 890, 899.

Herbarios (Herb): 855, 884.
Historia (Biog): 851.
Palinología (Palin): 839, 862.
Sistemática molecular (SisM): 850, 858, 860, 874, 876, 878, 886, 891, 897
Toxicidad (Tox): 871, 894.
Vegetación (Veget): 855.

ÍNDICE TEMÁTICO

Adiantum: 864, 868, 887, 898.
Asplenium: 841, 844, 850, 866, 879, 885.
Athyrium: 888.
Azolla: 852, 880.
Blechnum: 874, 876, 895.
Cheilanthes: 836, 881, 889.
Cosentinia: 835.
Cystopteris: 836, 878.
Davallia: 862.
Dryopteris: 861, 873, 874, 875.
Equisetum: 836, 853, 856, 857.

Hymenophyllum: 849.
Isoetes: 836.
Marsilea: 840.
Ophioglossum: 843.
Polypodium: 886, 888.
Polystichum: 861.
Pteridium: 842, 846, 871, 872.
Pteris: 837, 863, 865, 890, 899.
Psilotum: 857.
Salvinia: 848.
Woodia: 836.