

## Bibliografía Botánica Ibérica, 2017. Bryophyta

Esther Fuertes Lasala<sup>1</sup>**Cómo citar:** Fuertes Lasala, E. (2018). Bibliografía Botánica Ibérica, 2017. Bryophyta. *Bot. complut.* 42: 199-204.

1146. Alonso García, M., Medina, R., Cano, M.J., Jiménez, J.A. & Goffinet, B. 2016. The complete mitochondrial genome of the moss *Oxystegus tenuirostris* (Hook. & Taylor) A.J.E, Sm. (Pottiaceae, Bryophyta). *Mitochondrial DNA Part A* 27(5): 3808-3809. (Cariol).
1147. Alonso García, M., Jiménez, J.A. & Cano, M.J. 2017. A new species of *Chionoloma* (Pottiaceae) from Central & South America with a key to Neotropical species of the genus. *Bryologist* 120 (3): 340-346. (Flora, Corol).
1148. Alves Araujo, A. & do Oliveira, P.M. 2017. Request for a binding decision on whether *Rauhiella* Reimers (Thuidiaceae) and *Rauhiella* Pabst & Braga (Orchidaceae) are sufficient alike to be confused. *Taxon* 66(1): 214 (Tax).
1149. Ángeles-Argaiz, R.E., FloresGarcía, A., Ulloa, M. & Garibay Orijel, R. 2016. Commercial *Sphagnum* peat moss is a vector for exotic ectomycorrhizal mushroom. *Biological Invasions* 18(1): 89-101. (Aplic).
1150. Bechteler, J., Lee, G.E., Schäfer-Verwip, A., Renner, M.A.M., Peralta, D.F. & Heinrichs, J. 2016. Towards a monophyletic classification of Lejeuneaceae V: The systematic position of *Pyctolejeunea*. *Phytotaxa* 280(3): 259-270. (Tax).
1151. Bóas-Bastos, S.B.V. & Bastos C.J.P. 2016. Leptotypification and taxonomy identity of *Orthostichopsis tenuis* (Pterobryaceae). *Phytotaxa* 258(1): 99-100 (Tax).
1152. Boquete, M.T., Fernández, J.A., Aboal, J.R. & Shaw, A.J. 2016. Significance of the infraspecific morphological variability in biomonitoring studies with mosses: among populations and between-sexes approach. *Environ. Exp. Bot.* 130: 106-112. (Quim).
1153. Boquete, M.T., Spagnuolo, V., Fernández, J.A., Aboal, J.R., Imperatore, I. & Giordano, S. 2016. Genetic structuring of the moss *Pseudoscleropodium purum* sampled at different distances from a pollution source. *Ecotoxicology* 25(10): 1812-1821. (Cariol, Ecol).
1154. Brugués, M. & Ruiz, E. 2017. New national and regional bryophyte records. 50.20. *Lescuraea incurvata* (Hedw.) E. Lawton (Argelia). *J. Bryol.* 39(1):106. (Flora, Corol).
1155. Buck, W.R. & Atwood, J.J. 2017. Recent literature on bryophytes. *Bryologist* 120(1): 70-96 120 (2): 212-235, 120(3): 347-360, 120(4): 521-536. (Bibl).
1156. Calleja, J.A., Garilleti, R., Mazimpaka, V., Vigalondo, B. & Lara, F. 2016. New national and regional bryophyte records. 49.22. *Orthotrichum tanganyikae* (P. de la Varde) Q.H. Huang & Y. Jia. (Kenia and Tanzania). *J. Bryol.* 38(4): 335-336. (Flora, Corol).
1157. Cano, M.J. 2016. New records of Pottiaceae (Bryophyta) from Cape Verde. *Nova Hedwigia* 103(3-4): 373-383 (Flora, Corol).
1158. Cano, M. & Guerra, J. 2017. New national and regional bryophyte records.

<sup>1</sup> Departamento de Biodiversidad, Ecología y Evolución (Unidad de Botánica), Facultad de Ciencias Biológicas, Universidad Complutense de Madrid, 28040-Madrid. e-mail: efuertes@ucm.es

- 52.18. *Lescuraea plicata* (Schleich. ex Weber & Mohr) Broth. Arinsal (Andorra). *J. Bryol.* 39(3): 292. (Flora, Corol).
1159. Caparrós, R., Garilleti, R., Price M. J.; Mazimpaka, V. & Lara, F. 2016. Tackling a long-standing problem: typification of *Orthotrichum crispum*, *Ulota crispula* and *Ulota intermedia* (Bryopsida, Orthotrichaceae). *Taxon* 65(4): 862-866. (Tax).
1160. Cardós, J.L.H., Martínez, I., Calvo, V. & Aragón, G. 2016. Epiphyte communities in Mediterranean fragmented forests: importance of the fragment size and surrounding matrix. *Landscape Ecol.* 31: 1975-1995. (Veget).
1161. Carvalho-Silva, M., Stech, M., Soares-Silva, L.H., Buck, W.R., Wittkett, N.S., Lin, Y. & Camara, P.E. 2017. A molecular of the Sematophyllaceae s.l. (Bryales) based on plastid, mitochondrial and nuclear marks and the taxonomic implications. *Taxon* 66(4): 811-831. (SisM).
1162. Cruz de Carvalho, R., Catalá, M., Branquinho, C., Marques da Silva, J. & Barreno, E. 2017. Dehydration rate determines the degree of membrane damage and desiccation tolerance in bryophytes. *Physiol. Plant.* 159(3): 277-289. (Cult).
1163. Dében, S., Aboal, J.R., Carballeira, A., Cesa, M., Real, C. & Fernández, J.A. 2015. Inland water quality monitoring with native bryophytes: a methodological review. *Ecol. Indic.* 53: 115-124. (Quim).
1164. Di Palma A., Crespo, D., Spagnuolo, V., Adamo, P., Bargagli, R., Caffaso, D., Capozzi, F., Aboal, J.R., González, A.G., Pokrovsky, O.S., Beike, A.K., Reski, R., Tretiach, M., Varela, Z. & Giordano, S. 2016. Molecular and chemical characterization of a *Sphagnum palustre* clone: Key steps towards a standardized and sustainable moss bag technique. *Ecol. Indic.* 71: 388-397. (SisM, Quim).
1165. Di Palma, A., Capozzi, F., Spagnuolo, V., Giordano, S. & Adamo, P. 2017. Atmospheric particulate matter intercepted by moss-bags: relations to moss trace element uptake and land use. *Chemosphere* 176: 361-368. (Quim).
1166. Dirkse, G.M., Losada Lima, A. & Stech, M. 2016. *Riccia boumanii* Dirkse, Losada & M. Stech sp. nov. (Ricciaceae, Marchantiophyta) in the Canary Islands, the first species of *Riccia* subgenus *Riccia*, section *Pilifer* Volk outside South Africa. *J. Bryol.* 38(2): 94-102. (Flora, Corol).
1167. Fedosov, V., Fedorova, A. & Ignatova, E. 2017. On the taxonomic position of the genera *Brachydontium* Fűrnr and *Campylostelium* Bruch & Schimp. (Bryophyta, Grimmiales). *J. Bryol.* 39(2): 161-170. (Tax).
1168. Felberg, K., Váña, J., Krusche, J., Kretschmann, J., Patzak, S.F., Pérez Escobar, A., Rudolf, N.K., Seefelder, N., Schäfer-Verwimp, A., Long, D.E., Schneider, H. & Heinrichs, J. 2016. A phylogeny of Cephaloziellaceae (Jungermanniopsida) based on nuclear and chloroplast DNA marker. *Org. Divers. Evol.* 16(4): 727-742. (SisM).
1169. Ferreira, M. T., Cardoso, P., Borges, P.A.V., Gabriel, R., de Acevedo, E.B., Reis, F., Araújo, M.B. & Elías, R.B. 2016. Effects of climate change on the distribution of indigenous species in oceanic islands (Azores). *Climate Change* 138(3): 603-615. (Ecol, Corol).
1170. Flagmeier, M., Hollingsworth, O.M., Genney, D.R., Long, D.G., Muñoz, J., Moreno, E. & Woodin, S.J. 2016. Transplanting the leafy liverwort *Herbertus hutchinsiae*: a suitable conservation tool to maintain oceanic-montane liverwort-rich heat? *Plant Ecol. Divers.* 9(2): 175-185. (Ecol, Conser).
1171. Fuertes, E. 2017. Bibliografía Botánica Ibérica, 2016, Bryophyta. *Bot. Complut.* 41: 216-219. (España, Bibl).
1172. Fuertes, E. & Manzano, S. 2017. New and interesting records of Argentinian Ricciaceae (Marchantiophyta) and hornworts (Anthocerotophyta). *Cryptog. Bryol.* 38 (2): 213-222. (Flora, Corol).
1173. Garillet, R., Muñoz Puelles, J., Mazimpaka, V. & Lara, F. 2016. A new leptotypification of *Ulota macrodonta* Dusen ex Malta (Orthotrichaceae, Bryophyta). *J. Bryol.* 38(4): 355-359. (Tax).
1174. Granzow, I. & Sáez, L. 2017. New national and regional bryophyte records.

- 52.8. *Buxbaumia viridis* (Moug. ex DC.) Brid. Ordino (Andorra). *J. Bryol.* 39(3): 289. (Flora, Corol).
1175. Guerra, J. 2016. Notes on the genus *Eurhynchiastrum* (Bryophyta, Brachytheciaceae) in the Iberian Peninsula. *Nova Hedwigia* 103: (3-4): 359-365. (Flora, Corol).
1176. Hedenäs, L., Korpelainen, H. & Bisang, I.J. 2016. Identifying sex in non-fertile individuals of the moss *Drepanocladus turgescens* (Bryophyta, Amblystegiaceae) using a novel provisional approach. *J. Plant Res.* 129(5): 1005-1010. (Anat).
1177. Hedenäs, L. 2017. Three molecular markers suggest different relationships among three *Drepanocladus* species (Bryophyta, Amblystegiaceae). *Plant Syst. Evol.* 303(4): 521-529. (SisM).
1178. Heras, P. & Infante, M. 2016. Conservación de turberas y medios higroturbosos en Guipúzcoa (España). *Conservación Vegetal* 20: 5-7. (Conser, Veget).
1179. Hugonnot, V. 2017. Comparative investigations of niche, growth rates and reproduction between the native moss *Campylopus pilifer* and the invasive *Campylopus introflexus*. *J. Bryol.* 39(1): 79-84. (Quim).
1180. Infante, M. & Heras, P. 2016. New national and regional bryophyte records. 49.13. *Hedwigia striata* (Wils.) Bosw. (France). *J. Bryol.* 38(4): 332-333. (Flora, Corol).
1181. Infante, M. & Heras, P. 2017. New national and regional bryophyte records. 52.20. *Moerkia flotoriana* (Nees) Schiffn. La Carbayosa (Asturias, España). *J. Bryol.* 39(3): 217-218. (Flora, Corol).
1182. Infante, M., Muñoz Puelles, L., Albertos, B., Garilleti, R. & Heras, P. 2017. View on bryophytes conservation in Peninsular and Balearic Spain: analysis of the Red List and legal protection. *Cryptog. Bryol.* 38(1): 19-51. (Flora, Conser).
1183. Jiménez, J.A., Long, D.G., Shevock, J.R. & Guerra, J. 2016. *Didymodon hendguannensis* (Bryophyta, Pottiaceae) a new species from Hengduan Mountains, southwestern China. *Phytotaxa* 275(3): 287-293. (Flora, Corol).
1184. Jiménez, S. & Suarez, G.M. 2016. New synonyms f *Philonotis polymorpha* (Bartramiaceae, Bryophyta) from southern South America. *Phytotaxa* 277(1): 95-96. (Tax).
1185. Jiménez, J.A., Hedderson, T.A. & Müller, F. 2017. *Didymodon vulcanicus* J.A.Jiménez, Hedd. & Frank Müller (Pottiaceae), a new species from tropical África. *J. Bryol.* 39(1): 39-45. (Flora, Corol).
1186. Kapila, S. & Thakur, S. 2016. Seasonal changes in the chemical constituents of the liverwort *Targionia hypophylla* L. *Hikobia* 17(2): 137-143. (Quim).
1187. Köckinger, H. & Hedenäs, L. 2017. A farewell to *Tortella bambergeri* (Pottiaceae) as understood over the last decades. *J. Bryol.* 39(3): 213-225. (Flora).
1188. Kiebacher, T. & Lüth, M. 2017. *Orthotrichum dentatum* T Kiebacher & Lüth, sp. nova (Orthotrichaceae). *J. Bryol.* 39(1): 46-56 (Flora).
1189. Kiebacher, T., Scheidegger, C. & Bergamini, A. 2017. Solitary trees increase the diversity of vascular plants and bryophytes in pastures. *Agr. Ecosyst. Environ.* 239: 293-303. (Ecol).
1190. Koponen, T. & Sun, Y. 2017. Preliminary study on phylogenetic position and delimitation of the ciliate arthro-dontous genera of the moss family Mniaceae. *J. Bryol.* 39(1): 23-38. (Tax).
1191. Long, D.G. & Crandall-Stotler, B.J. 2016. Taxonomic changes in Cleveaceae (Marchantiidae, Marchantiophyta) a correction. *Phytotaxa* 273(4): 299-300. (Tax).
1192. Luna, E de. 2016. Typification, taxonomy and worldwide distribution of *Braunia secunda* (Hook.) Bruch & Schimp. (Hedwigiaceae). *J. Bryol.* 38(4): 286-294. (Tax, Corol).
1193. Lloyd, R., Stark, J.C., Brinda, C. & Greenwood, J.L. 2016. Propagula and shoots of *Syntrichia pagorum* (Pottiaceae) exhibit different ecological strategies of desiccation tolerance. *Bryologist* 119(2): 181-192. (Ecol, Etol).
1194. Majundar, S. & Sing Deo, S. 2016. Proposal to conserve the name *Jungermannia ornithopodioides* (*Scapania ornithopodioides*) (Marchantiophyta,

- Scapaniaceae) with that spelling. *Taxon* 65(4): 883-884. (Tax).
1195. Monteiro, J. & Vieira, C. 2017. Determinants of stream bryophyte community structure: bringing ecology into conservation. *Freshwater Biology* 62(4): 695-710 (Veget, Conser).
1196. Mucina, L., Bültmann, H., Dierßen, K., Theurillat, I-P., Raus, T., Čarni, A., Šumberová, K., Willner, W., Dengler, J., Gavilán García, R., Chytrý, M., Hájek, M., Di Pietro, R., Iakushenko, D., Pallas, J., Daniëls, A., Begmeier, E., Santos Guerra, A., Ermakov, N., Valachovič, M., Schaminee, J.H.J., Lysenko, T., Didukch, P., Pignatti, S., Rodwell, J.S., Capelo, J.H.J., Weber, H., Solomeshch, B., Dimopoulos, P., Aguiar, C., Hennekens, S.N. & Tichý, L.A. 2016. Vegetation of Europe: hierarchical floristic classification system of vascular plant, bryophyte, lichen, and algal communities. *Appl. Veg. Sci.* 19 (Suplem. 1): 3-264. (Veget).
1197. Müller, F. & Akiyama, H. 2016. *Aptychella chilensis* belongs to the Ptychoniaceae and not Pylaisiadelphaceae based on DNA and morphological analyses. *Cryptog. Bryol.* 37(3): 251-258. (Tax, SisM).
1198. Orgaz, J.B. & Guerra, J. 2017. New national and regional bryophyte records. 51, 4 *Brachythecium campestre* (Müll. Hal.) Schimp. Spain. *J. Bryol.* 39(2): 178. (Flora, Corol).
1199. Patiño, J., Hedenäs, L., Dirkse, G.M., Ignatov, M.S., Patt, B.: Müller, F., González, J. & Vandenpoorten, A. 2017. Species delimitation in the recalcitrant moss genus *Rhynchostegia* (Brachytheciaceae). *Taxon* 66(2): 293-308. (Tax).
1200. Patiño, J., Mateo, R.G., Zanatta, F., Marquet, A., Calvo, S.C., Borges, P.E.M., Dirkse, G.M., Gabriel, R., González Mancebo, J.M., Guisan, A., Muñoz, J., Sim-Sim, M. & Vandenpoorten, A. 2016. Climate threat on the Macaronesian endemic bryophyte flora. *Scientific Reports* 6: 29156. (Conser).
1201. Patzak, S.D.F., Renner, A.M.M., Schäfer-Verwimp, A., Feldberg, A., Heslewood, M.M., Peralta, D.F., Souza, de M., Schneider, H. & Heinrichs, J. 2016. A phylogeny of Lophocoleaceae-Plagiochilaceae-Breviantha-ceae. *Org. Divers. Evol.* 16(3): 481-485. (Tax).
1202. Ponce de León, I. & Montesano M. 2017. Adaptation mechanisms in the evolution of moss defenses to microbes. *Frontiers in Plant Science* 8: 366. (Conser).
1203. Puche, F. 2016. Pterigynandraceae. In: J. Guerra & R.M. Cros (Coord.). *Flora briofítica Ibérica: Hypnales*: 29-39. Sociedad Española de Briología, Murcia, España. (Flora, Corol).
1204. Ríos Poveda, D. 2017. Revisión taxonómica, del género *Hypnum* Hedw. (Bryophyta, Hypnaceae) en la península Ibérica, Islas Baleares y Macaronesia. Tesis Doctoral, Universidad de Murcia. (Flora, Corol, Ecol, Tax).
1205. Rodríguez, A., Hernández, M., Patiño, J., Werner, O. & González, J. 2017. Characterization of ten polymorphic microsatellite loci for the threatened species *Grimmia curviseta* Boumann (Grimmiaceae, Musci). *J. Bryol.* 39 (1): 16-22. (Quim, Conser).
1206. Ruiz Molina, N., Villalobos López, M.Á. & Arias Zabala, M. 2016. *Protoneuma* suspension cultures of the medicinal moss *Polytrichum juniperinum*. *In Vitro Cel. Dev. Biol. Plant* 52(4): 419-426. (Cult).
1207. Sabovljević, M.S.J., Segarra-Moragues, J.G., Puche, F., Vujičić, M., Cogoni, A. & Sabovljević, A.D. 2016. An eco-physiological biotechnological approach to conservation of the worldwide rare and endangered aquatic liverwort *Riella helicophylla* (Bory et Mont.) Mont. *Acta Bot. Croat.* 75 (2): 194-198. (Ecol, Quim, Conser).
1208. Sérgio, C., García, C.A., Sim-Sim, M., Vieira, C., Hespagnol, H., Stow, S. & Guerra, J. 2017. *Homalothecium meridionale* (Leisch.) & Warnst.) Hedenäs, a distinct species from *H. sericeum* (Hedw.) Schimp. (Brachytheciaceae, Bryopsida) in the Iberian Peninsula. *J. Bryol.* 39(1): 1-7. (Flora, Corol).
1209. Segarra-Moragues, J.G. 2016. Fabroniaceae. In: J. Guerra & R.M. Cros (Coord.). *Flora briofítica Ibérica: Hypnales*: 7-10. Sociedad Española de Briología, Murcia, España. (Flora, Corol).

1210. Söderstrom, I., Hagborg, A. & von Konrat, M.J. 2016. Early land plants today: index of liverworts & hornworts 2013-2014. *Phytotaxa* 269(3): 133-185. (Evol).
1211. Stark, L.R. 2017. Ecology of desiccation tolerance in bryophytes: A conceptual framework and methodology. *Bryologist* 120(2): 130-165. (Ecol).
1212. Zander, R.H. & Hedderson T.A.J. 2016. Re-evaluation of *Hymenostelium* (Hook.) Brid. and *Aneuma* Z.H. Zander & Hedd., a new name for all other species of *Hymenostylium* (Pottiaceae, Bryophyta). *J. Bryol.* 38(4): 295-301. (Tax).
1213. Zhang, Y.M., Zhou, X.B., Yin, B.F. & Downing, A. 2016. Sensitivity of the xerophytic moss *Syntrichia caninervis* to prolonged simulated nitrogen deposition. *Ann. Bot.* 117(7): 1153-1161. (Ecol).
1214. Zúñiga González, P., Zúñiga, G.E., Pizarro, M. & Casanova-Katny, M.A. 2016. Soluble carbohydrate content variation in *Sanionia uncinata* and *Polytrichastrum alpinum*, two Antarctic mosses with contrasting desiccation capacities. *Biological Research* 49: 6 [1-9]. (Ecol, Quim).

## Índice temático

**Aplicación** (Aplic): 1149.

**Anatomía** (Anat): 1176.

**Bibliografía** (Bibl): 1155, 1171.

**Cariología** (Cariol): 1146, 1153.

**Conservación** (Conser): 1170, 1178, 1182, 1195, 1200, 1202, 1203, 1205, 1207.

**Corología** (Corol): 1147, 1154, 1156, 1157, 1158, 1166, 1169, 1172, 1174, 1175, 1180, 1181, 1183, 1185, 1192, 1198, 1203, 1204, 1209.

**Cultivos** (Cult): 1162, 1206.

**Ecología** (Ecol): 1153, 1169, 1170, 1189, 1193, 1204, 1211, 1213.

**Etología** (Etol): 1193.

**Evolución** (Evol): 1210.

**Floras** (Flora): 1147, 1154, 1156, 1157, 1158, 1166, 1172, 1174, 1175, 1180, 1181, 1183, 1185, 1187, 1188, 1198, 1203, 1204, 1208, 1209.

**Química** (Quim): 1152, 1163, 1164, 1165, 1179, 1186, 1205, 1207, 1209, 1214.

**Sistemática Molecular** (SisM): 1161, 1164, 1168, 1177, 1197.

**Taxonomía** (Tax): 1148, 1150, 1151, 1159, 1167, 1173, 1184, 1190, 1191, 1192, 1194, 1199, 1201, 1204, 1212.

**Vegetación** (Veget): 1160, 1178, 1195, 1196.

## Índice Taxonómico

*Amblystegiaceae*: 1176, 1177.

*Aneuma*: 1212.

*Anthocerotophyta*: 1172, 1210.

*Aptychella*: 1197.

*Bartramiaceae*: 1184.

*Brachytheciaceae*: 1175, 1199, 1208.

*Brachythecium*: 1198.

*Brachydontium*: 1167.

*Braunia*: 1192.

*Brevianthaceae*: 1201.

*Bryales*: 1161.

*Bryophyta*: 1146, 1155, 1157, 1162, 1163, 1167, 1171, 1173, 1175, 1176, 1177, 1182, 1183, 1184, 1189, 1196, 1200, 1204, 1211, 1212.

*Bryopsida*: 1159, 1190, 1208.

*Buxbaumia*: 1174.

*Campylopus*: 1179.

*Campylostelium*: 1167.

*Cleveaceae*: 1191.

*Cephaloziellaceae*: 1168.

*Chionoloma*: 1147.

*Drepanocladus*: 1176, 1177.

*Didymodon*: 1183, 1185.

*Eurhynchiastrum*: 1175.

*Fabroniaceae*: 1209.

*Grimmia*: 1205.

*Grimmiaceae*: 1205.

*Grimmiales*: 1167.

*Hedwigia*: 1180.

*Hedwigiaceae*: 1192.

*Herbertus*: 1170.

- Homalothecium*: 1208.  
*Hymenostelium*: 1212.  
*Hymenostylium*: 1212.  
Hypnaceae: 1204.  
Hypnales: 1203, 1209.  
*Hypnum*: 1204.  
*Jungermannia*: 1194.  
Jungermanniopsida: 1168, 1170.  
Lejeuneaceae: 1150.  
*Lescurea*: 1154, 1158.  
Lophocoleaceae: 1201.  
Marchantiidae: 1191  
Marchantiophyta: 1166, 1172, 1191, 1194,  
1210.  
Mniaceae: 1190.  
*Moerkia*: 1181.  
Musci: 1152, 1165, 1169, 1190, 1202, 1205,  
1213.  
*Orthostichopsis*: 1151.  
Orthotrichaceae: 1159, 1173, 1188.  
*Orthotrichum*: 1156, 1159, 1188.  
*Oxystegus*: 1146.  
*Philonotis*: 1184.  
Plagiochilaceae: 1201.  
*Polytrichastrum*: 1214.  
*Polytrichum*: 1206.  
Pottiaceae: 1146, 1147, 1157, 1183, 1185, 1187,  
1193, 1212.  
*Pseudoscleropodium*: 1153.  
Pterigynandraceae: 1203.  
Pterobryaceae: 1151.  
Ptychoniaceae: 1197.  
*Pyctolejeunea*: 1150.  
Pylaisiadelphaceae: 1197.  
*Raiiella*: 1148.  
*Rhynchostegiella*: 1199.  
*Riccia*: 1166, 1172.  
Ricciaceae: 1166, 1172.  
*Riella*: 1207.  
*Sanionia*: 1214.  
*Scapania*: 1194.  
Scapaniaceae: 1194.  
Sematophyllaceae: 1161.  
*Sphagnum*: 1149, 1164.  
*Syntrichia*: 1193, 1213.  
*Targionia*: 1186.  
Thuidiaceae: 1148.  
*Tortella*: 1187.  
*Ulota*: 1159, 1173.