

# Bibliografía Botánica Ibérica, 2008

## Pteridophyta

Román Belmont Andújar\*

655. AGUIAR, S.; QUINTANILLA, L. G. & AMIGO, J. 2007. *Blechnum x rodriguezii* hyb. nov., a deer fern hybrid from Southern Chile. *Amer. Fern J.* 97 (4): 225-229. (Tax, *Blechnum*).
656. AMIGO, J.; RAMÍREZ, C. & QUINTANILLA, L. G. 2007. Mantle communities of the temperate woodlands of South Central Chile: a phytosociological study of the order *Aristolietalia chilensis*. *Phytocoenologia* 37 (2): 269-319. (Veget, Corol).
657. BELMONTE ANDÚJAR, R. 2008. Bibliografía Botánica Ibérica, 2007. Pteridophyta. *Bot. Complut.* 32: 257-259. (Bibl).
658. BUBNER, B. 2008. The wood cross sections of Hermann Nordlinger (1818-1897). *I.A.W.A.J.* 29 (4): 439-457 (Anat).
659. CARLQUIST, S. & SCHNEIDER, E. L. 2007. Tracheary elements in ferns: New techniques, observations and concepts. *Amer. Fern J.* 97 (4): 199-211. (Anat).
660. CZAJA, A. D.; KUDRYAVTSEV, A. B.; CODY, G. D. & SCHOPF, J. W. 2008. Similar fossil ferns having dissimilar organic geochemical preservation. *Geochim. Cosmochim. Acta* 72 (12): A193 –Suplemento–. (Palin, Quim).
661. DE LEON, M. E. N. D.; PEREZ-GARCÍA, B.; MÁRQUEZ-GUZMÁN, J. & MENDOZA-RUIZ, A. 2008. Developmental gametophyte morphology of seven species of *Thelypteris* subg. *Cyclosorus* (Thelypteridaceae). *Micron* 39 (8): 1351-1362. (Anat, *Thelypteris*).
662. DESOTO, L.; QUINTANILLA, L. G. & MÉNDEZ, M. 2008. Environmental sex determination in ferns: effects of nutrient availability and individual density in *Woodwardia radicans*. *J. Ecol.* 96 (6): 1319-1327. (Bfloral, Ecol, *Woodwardia*).
663. DING, Z. T.; FANG, Y. S.; TAI, Z. G.; YANG, M. H.; XU, X. Q.; LI, F. & CAO, Q. E. 2008. Phenolic content and radical scavenging capacity of 31 species of ferns. *Fittoterapia* 79 (7-8): 581-583. (Quim).
664. ERKT, L. & STECH, M. 2008. A morphometric study and revision of the *Asplenium trichomanes* group in the Czech Republic. *Preslia* 80 (3): 325-347. (Anat, Tax, *Asplenium*).
665. FRY, S. C.; MOHLER, K. E.; NESSELRODE, B. H. W. A. & FRANKOVA, L. 2008. Mixed-linkage beta-glucan: xyloglucan endotransglucosylase, a novel wall-remodelling enzyme from *Equisetum* (horsetails) and charophytic algae. *Plant J.* 55 (2): 240-252. (Quim, *Equisetum*).
666. GALÁN, J. M. G.; PRADA, C. & ROLLERI, C. H. 2008. Spore germination, gametophyte morphology and sexual expresión of *Polypodium feullei* Bertero (Polypodiaceae). *Gayana Bot.* 65 (1): 1-9. (Bfloral, Anat, *Polypodium*).
667. GURUNG, S. & YAMASAKI, H. 2008. Lessons from water ferns: involvement of reactive nitrogen species in root abscission response of plants. *Nitric Oxide-Biology and Chemistry* 19: S52-S53. (Quim, *Salvinia*, *Azolla*).
668. HAIG, D. 2008. Homologous versus antithetic alternation of generations and the origin of sporophytes. *Bot. Rev.* 74 (3): 395-418. (Evol, Bfloral).
669. HENNEQUIN, S.; SCHUETTPELZ, E.; PRYER, K. M.; EBIHARA, A. & DUBUISSON, J. Y. 2008. Divergent times and the evolution of epiphytism in filmy ferns (*Hymenophyllaceae*) revisited. *Int. J. Plant Sci.* 169 (9): 1278-1287. (SisM, Evol, *Hymenophyllum*).
670. HERRERO-BORGOÑÓN, J. 2008. *Azolla filiculoides* Lam. en el este ibérico. *Acta Bot. Malac.* 33: 354-356. (Corol, *Azolla*).
671. JIMÉNEZ, A.; QUINTANILLA, L. G.; PAJARÓN, S. & PANGUA, E. 2008. Reproductive and competitive interactions among gametophytes of the allotetraploid fern *Dryopteris corleyi* and its two diploide parents. *Ann. Bot.* 102 (3): 353-359. (Bfloral, *Dryopteris*).
672. KESSLER, M. & SIORAK, Y. 2007. Desiccation and rehydration experiments on leaves of 43 pteridophyte species. *Amer. Fern J.* 97 (4): 175-185. (Cult).
673. KNOX, J. P. 2008. Mapping the walls of the kingdom: the view from the horsetails. *New Phytol.* 179 (1): 1-3. (Anat, Quim, *Equisetum*).
674. KNOX, A. S.; KAPLAN, D. I. & HINTON, T. G. 2008. Elevate uptake of Th and U by natted chain fern (*Woodwardia areolata*). *J. Radioanalytical and Nuclear Chemistry* 277 (1): 169-173. (Rem, Quim, *Woodwardia*).
675. LANDI, M. & ANGIOLINI, C. 2008. Habitat characteristics and vegetation context of *Osmunda regalis* L. at the southern edge of its distribution in Europe. *Bot. Helv.* 118 (1): 45-57. (Ecol, Corol, *Osmunda*).
676. LIU, H. M.; WANG, L.; ZHONG, X. C. & ZENG, H. 2008. Advances in the studies of lycophytes and monilophytes with reference to systematic arrangement of families distributed in China. *J. Syst. Evol.* 46 (6): 808. (SisM, Evol).

\* Departamento de Biología Vegetal I, Facultad de Biología, Universidad Complutense de Madrid. rom\_bel\_and@yahoo.es

677. MASOOD, A.; ZEESHAN, M. & ABRAHAM, G. 2008. Response of growth and antioxidant enzymes in *Azolla* plants (*Azolla pinnata* and *Azolla filiculoides*) exposed to UV-B. *Acta Biol. Hung.* 59 (2): 247-258. (Quim, *Azolla*).
678. METZGAR, J. S.; SKOG, J. E.; ZIMMER, E. A. & PRYER, K. M. 2008. The paraphyly of *Osmunda* is confirmed by phylogenetic analyses of seven plastid loci. *Syst. Bot.* 33 (1): 31-36. (SisM, Evol, *Osmunda*).
679. NAGALINGUM, N. S.; NOWAK, M. D. & PRYER, K. M. 2008. Assessing phylogenetic relationships in extant heterosporous ferns (*Salviniales*), with a focus on *Pilularia* and *Salvinia*. *Bot. J. Linn. Soc.* 157 (4): 619-627. (SisM, Evol, *Salvinia*, *Pilularia*).
680. NARVÁEZ, P. L.; MARTÍNEZ, O. G. & DE LA SOTA, E. R. 2008. Gametófitos y esporófitos de *Dryopteris wallichiana* (Spreng.) Hyl. (*Dryopteridaceae*-Pteridophyta). *Bot. Complut.* 32: 85-90. (Anat, *Dryopteris*).
681. NATARAJAN, S.; STAMPS, R. H.; SAHA, U. K. & MA, L. Q. 2008. Phytofiltration of arsenic-contaminated groundwater usin *Pteris vittata* L.: Effect of plant density and nitrogen and phosphorus levels. *Int. J. Phytoremediation* 10 (3): 222-235. (Rem, Quim, *Pteris*).
682. PRADA, C.; MORENO, V & GALÁN, J. M. G. 2008. Gametophyte development, sex expresión and antheridiogen system in *Pteris incompleta* Cav. (Pteridaceae). *Amer. Fern J.* 98 (1): 12-25. (Anat, Bfloral, Quim, *Pteris*).
683. PRADA, C.; ROLLERI, C. H. & PASSARELLI, L. 2008. Morfología, caracterización y distribución geográfica de *Blechnum cordatum* (*Blechnaceae*-Pteridophyta). *Acta Bot. Malac.* 33: 29-46. (Anat, Tax, Corol, *Blechnum*).
684. PROCTOR, M. C. F. 2007. Ferns, evolution, scale and intellectual impedimenta. *New Phytol.* 176 (3): 504-506. (Evol).
685. ROLLERI, C. H.; PRADA, C. & PASSARELLI, L. M. 2008. Estudios morfológicos y taxonómicos en *Blechnum* (*Blechnaceae*-Pteridophyta): *B. tabulare* y *B. magellanicum*. *Anales Jard. Bot. de Madrid* 65 (2): 179-195. (Anat, Tax, *Blechnum*).
686. ROTHFELS, C. J.; WINDHAM, M. D.; GRUSZ, A. L.; GASTONY, G. J. & PRYER, K. M. 2008. Towards a monophyletic *Notholaena* (*Pteridaceae*): resolving patterns of evolutionary convergence in xeric-adapted ferns. *Taxon* 57 (3): 712-724. (SisM, Tax, *Notholaena*).
687. SAIZ, J. C. M. & LOBO, J. M. 2008. Iberian-Balearic fern regions and their explanatory variables. *Plant Ecol.* 198 (2): 149-167. (Corol, Ecol).
688. SÁNCHEZ VELÁZQUEZ, T. 2007. Historia de la investigación pteridológica en Canarias. *Bot. Macaronésica* 27: 57-72. (Bibl).
689. SCHUETTPPELZ, E.; GRUSZ, A. L.; WINDHAM, M. D. & PRYER, K. M. 2008. The utility of nuclear gapCp in Resolving Polyploid Fern Origins. *System. Bot.* 33 (4): 621-629. (SisM, Tax).
690. SHEPHERD, L. D.; HOLLAND, B. R. & PERRIE, L. R. 2008. Conflict amongst chloroplast DNA sequences obscures the phylogeny of a group of *Asplenium* ferns. *Molec. Phylogen. Evol.* 48 (1): 176-187. (SisM, Tax, *Asplenium*).
691. SHINOZAKI, J.; SHIBUYA, M.; MASUDA, K. & EBIZUKA, Y. 2008. Squalene cyclasa and oxidosqualene cyclase from a fern. *FEBS Letters* 582 (2): 310-318. (Quim, *Adiantum*).
692. SINGH, M.; SINGH, N.; KHARE, P. B. & RAWAT, A. K. S. 2008. Antimicrobial activity of some important *Adiantum* species used traditionally in indigenous systems of medicine. *J. Ethnopharmacol.* 115 (2): 327-329. (Etnob, Quim, *Adiantum*).
693. TOMESCU, A. M. F. 2008. The endodermis: a horsetail's tale. *New Phytol.* 177 (2): 291-295. (Anat).
694. TSUTSUMI, C.; ZHANG, X. C. & KATO, M. H. 2008. Molecular phylogeny of *Davalliaceae* and implications for generic classification. *System. Bot.* 33 (1): 44-48. (SisM, Tax, *Davallia*).
695. YATSKIEVYCH, G. & ARBELAEZ, A. L. 2008. A new species and three generic transfers in the fern genus *Notholaena* (*Pteridaceae*). *Novon* 18 (1): 120-124. (BioTec, *Notholaena*).
696. ZHANG, X.; LIN, A. J.; ZHAO, F. J.; XU, G. Z.; DUAN, G. L. & ZHU, Y. G. 2008. Arsenic accumulation by the aquatic fern *Azolla*: comparison of arsenate uptake, speciation and efflux by *A. caroliniana* y *A. filiculoides*. *Environm. Pollut.* 156 (3): 1149-1155. (Rem, Quim, *Azolla*).

## ÍNDICE TEMÁTICO

**Anatomía** (Anat): 658, 659, 661, 664, 666, 673, 680, 682, 683, 685, 693.

**Bibliografías** (Bibl): 657, 688.

**Biocología** (BioTec): 695.

**Corología** (Corol): 656, 670, 675, 683, 687.

**Cultivos** (Cult): 672.

**Estrategias reproductoras** (Bfloral): 662, 666, 668, 669, 671, 682.

**Ecología** (Ecol): 662, 675, 687.

**Etnobotánica** (Etnob): 692.

**Evolución** (Evol): 668, 669, 676, 678, 679, 684.

**Fitoquímica** (Quim): 660, 663, 665, 667, 673, 674, 677, 691, 692, 696.

**Fitorremediación** (Rem): 674, 681, 696.

**Palinología** (Palin): 660.

**Taxonomía** (Tax): 655, 664, 683, 685, 686, 689, 690, 694.

**Sistemática Molecular** (SisM): 676, 678, 679, 686, 689, 690, 694.

**Vegetación** (Veget): 656.



INDICE TAXONÓMICO

*Adiantum*: 691, 692.  
*Asplenium*: 664, 690.  
*Azolla*: 667, 670, 677, 696.  
*Blechnum*: 655, 683, 685.  
*Davallia*: 694.  
*Dryopteris*: 671, 680.  
*Equisetum*: 665, 673.  
*Hymenophyllum*: 669.

*Notholaena*: 686, 695.  
*Osmunda*: 675, 678.  
*Pilularia*: 679.  
*Polypodium*: 666.  
*Pteris*: 681, 682.  
*Salvinia*: 667, 679.  
*Thelypteris*: 661.  
*Woodwardia*: 662, 674.

