



Enhancing a Role and Reference Grammar approach to English motion constructions in a Natural Language Processing environment

Alba Luzondo-Oyón¹; Rocío Jiménez-Briones²

Recibido: 5 de diciembre de 2016 / Aceptado: 10 de mayo de 2017

Abstract. This paper puts forward a finer-grained computational treatment of the English caused-motion construction (e.g. *He kicked the ball into the net*) within a knowledge base for natural language processing systems called FunGramKB. This computational project is largely based on Role and Reference Grammar (RRG), which is a functional projectionist theory of language. We argue that the RRG-based characterization of the caused-motion construction in FunGramKB is insufficient to account for the semantic and syntactic complexity of realizations such as *He walked the dog to the park*, *I will show you out*, or *Mac flew Continental to Bush International Airport*. Thus, drawing on insights from Constructions Grammars, three minimally distinct transitive motion sub-constructions are formalized within FunGramKB. It is through the inclusion of additional constructional schemas that the machine will be able to capture the various ways in which verbs and constructions interact to yield different input texts.

Keywords: Natural Language Processing; Role and Reference Grammar; Construction Grammars; English motion constructions.

[es] Mejora del enfoque de la Gramática del Papel y la Referencia acerca de las construcciones de movimiento en inglés en un entorno de Procesamiento de Lenguaje Natural

Resumen. Este artículo presenta un tratamiento computacional más fino de la construcción de movimiento causado en inglés (por ejemplo, *He kicked the ball into the net*, “metió de una patada la pelota en la red”) en una base de conocimientos para sistemas de Procesamiento de Lenguaje Natural llamada FunGramKB. Este proyecto computacional se basa en gran medida en la Gramática del Papel y la Referencia (RRG), que es una teoría funcionalista del lenguaje. Argumentamos que la caracterización basada en la RRG de la construcción de movimiento causado en FunGramKB es insuficiente para explicar la complejidad semántica y sintáctica de realizaciones tales como *He walked the dog to the park*, *I will show you out*, or *Mac flew Continental to Bush International Airport*, “Sacó a pasear al perro al parque, Te enseñó la salida, Mac voló Continental al Aeropuerto Internacional Bush”. Así, basándose en las propuestas de las Gramáticas de Construcciones, se formalizan dentro de FunGramKB tres sub-construcciones de movimiento transitivas ligeramente distintas. A través de la de esquemas constructivos adicionales la máquina será capaz de dar cuenta de las diversas formas en que interactúan los verbos y las construcciones para producir diferentes textos de entrada.

Palabras clave: Procesamiento del Lenguaje Natural; Gramática del Papel y la Referencia; Gramáticas de Construcciones; construcciones de movimiento en inglés.

¹ Universidad Nacional de Educación a Distancia
aluzondo@flog.uned.es

² Universidad Autónoma de Madrid
rocio.jimenez@uam.es

Contents. 1. Introduction. 2. A brief introduction to the architecture of FunGramKB. 2.1. The Lexicon and the Ontology. 2.2. The Grammaticon. 3. Constructional subtypes. 4. Conclusion. Acknowledgements. References

Cómo citar: Luzondo-Oyón, A. and Jiménez-Briones, R. 2017. Enhancing a Role and Reference Grammar approach to English motion constructions in a Natural Language Processing environment. *Círculo de Lingüística Aplicada a la Comunicación* 70, 183-204. <http://www.ucm.es/info/circulo/no70/jimenez.pdf>. <http://dx.doi.org/10.5209/CLAC.56322>

1. Introduction

In the field of Natural Language Processing (NLP), the development of probabilistic approaches has gradually relegated linguistic models to a marginal position (Periñán 2012: 13; see also Callison-Burch and Osborne 2003; Bod 2009). However, Nolan and Periñán (2014: 2) point out that, with the rise of the Semantic Web and the existence of a multilingual, globalized world, “the need for language aware software applications that are grounded in a robust linguistic model, with a robust model of semantics, is [...] critical to our society”. Similarly, several scholars have emphasized the numerous ways in which theoretical linguistics can enhance NLP (and vice versa), and therefore, the need to bridge the gap between these areas of research (cf. Dimitriadis 2010; Sharma 2010; Cambria and White 2014; Diedrichsen 2016; Nolan 2016). This is especially important given that, in order to avoid deceptively intelligent NLP applications and allow natural language understanding instead, NLP systems require sound linguistic models laying at their foundation (see Periñán and Mestre 2016: xxi).

This is the case of the English knowledge base known as *FrameNet* (Baker 2014). *FrameNet*, which is based on *Frame Semantics* (Fillmore 1976, 1982; Fillmore and Atkins 1992), aims to record “the range of semantic and syntactic combinatory possibilities –valences– of each word in each of its senses” (Ruppenhofer et al. 2010: 5). Although *FrameNet* was not originally devised for NLP, its applicability for NLP tasks that require reasoning (e.g. question-answering, information extraction, etc.) has been proven by several scholars (cf. Shen and Lapata 2007; Burchardt et al. 2009; Ovchinnikova et al. 2010).

Another NLP project that has incorporated a solid linguistic theory into its design is the lexico-conceptual knowledge base for NLP known as *FunGramKB* (see www.fungramkb.com and references therein). More concretely, the linguistic level of *FunGramKB*, which includes a Lexicon and a Grammaticon, is grounded in *Role and Reference Grammar* (RRG; Van Valin and LaPolla 1997; Van Valin 2005), which is a functional projectionist theory of language that has already been implemented in several applications such as Guest’s (2008) and Winther-Nielsen’s (2009) parsers or Nolan and Salem’s (2010) machine translation program called UniArab.

The Grammaticon of *FunGramKB*, which is the module that concerns us here, stores linguistic constructions, that is, entrenched form-meaning/function pairings that exist at all level of linguistic enquiry (cf. Goldberg 2006, 2013). Among the various types of syntactic patterns that together make up the constructicon of a given language, this paper focuses on argument-structure constructions, which are configurations based on the linguistic expression of predicate-argument relationships (Goldberg 1995). In *FunGramKB*, argument-structure characterizations take the form of

machine-tractable representations labeled ‘constructional schemata’ (cf. Perrián 2013; Mairal and Perrián 2014; Perrián and Arcas 2014; Mairal 2015; Luzondo and Ruiz de Mendoza 2015). As argued in Van Valin and Mairal (2014: 224), although the Grammaticon of FunGramKB rests on some of the basic assumptions of RRG, argument-structure constructions in such a functional model are much less sophisticated semantically than the FunGramKB constructional schemas (see also Jiménez and Luzondo 2013; Nolan 2014). While this is certainly the case, argument-structure constructions may show a great deal of syntactic and semantic variation, which, in some cases, is not captured by the schemata stored in the Grammaticon, let alone in RRG. A case in point is discussed in Goldberg and Jackendoff (2004) under the rubric of ‘causative path resultative’ or ‘caused-motion construction’ (e.g. *Bill rolled the ball down the hill*). This structure, whose basic semantic layout designates a caused change of location, is part of the broader family of English resultative constructions (cf. Peña 2009, 2015: 1263-1274). Contrary to Van Valin and Mairal’s (2014) claim, we argue that the present formalization of the caused-motion constructional schema in FunGramKB does not do justice to the actual complexity of this configuration. This is evidenced by the existence of corpus-attested realizations such as *I’ll see you to the door* (Google Books American Corpus; GBAC 2015), *He flew Continental to Bush International Airport* (Corpus of Contemporary American English; COCA 2000), etc., which, as will be shown, differ in several ways from the literal example above (cf. *Bill rolled the ball down the hill*). Thus, this paper contends that, by drawing on insights from another linguistic framework, i.e. *Construction Grammars* (CxGs; Hoffmann and Trousdale 2013; Hoffmann 2017), we can enrich RRG-based constructional schemas within FunGramKB and arrive at a finer-grained computational approach of argument-structure constructions. In order for the machine to adequately capture the various ways in which verbs and constructions interact to yield specific input texts, this paper posits additional transitive motion sub-constructions that pair particular semantics/pragmatics with very specific syntactic frames, much as it is done in CxG approaches such as the one by Boas (2003, 2005, 2011).

With this in mind, the structure of this paper is as follows. Section 2 briefly introduces the architecture of FunGramKB. To properly understand the way verbs and constructions combine in this computational resource, section 2.1 deals with the Lexicon and the Ontology, while 2.2. focuses on the Grammaticon and the existing computational treatment of the caused-motion construction. On the basis of this, Section 3 examines the dimensions of variation of such a configuration from a constructionist perspective, paying special attention to their motivation. Such dimensions are shown to escape the current operationalization of the construction at hand. Section 4 summarizes the main points discussed throughout the paper.

2. A brief introduction to the architecture of FunGramKB

FunGramKB is a user-friendly online environment for the semiautomatic construction of a multipurpose lexico-conceptual knowledge base for NLP systems. It has been designed to be reused in other NLP tasks, and in particular, in those that focus on natural language understanding (e.g. machine translation, dialogue based-systems, etc.). For example, FunGramKB is being implemented in UniArab, an Arabic-to-English machine translator that uses RRG to build an interlingua architecture

for the input text (Salem, Hensman and Nolan 2008; Nolan and Salem 2010; Perrián and Mairal 2010a, 2012). In addition, the knowledge base offers a multilingual environment that currently supports various western languages (e.g. Spanish, English, Italian, French, etc.). This paper, however, is solely devoted to English.

As shown in Figure 1, FunGramKB comprises three major knowledge levels. The lexical and grammatical levels are language-specific, while the conceptual level is language-independent and therefore shared by all the languages included in the knowledge base. This type of modular approach, in which lexical-semantic knowledge is connected to a target language, while ontological knowledge is language-independent, is consistent with other approaches that are geared towards the development of knowledge bases designed for natural language understanding (e.g. Ovchinnikova 2012).




Figure 1: The architecture of FunGramKB (source: www.fungramkb.com).

What follows is a brief description of the knowledge levels specified in Figure 1:

- The *lexical level* comprises a Morphicon and a Lexicon. The former handles cases of inflectional morphology. The latter, which preserves some of the basic assumptions of RRG (e.g. ‘logical structures’ or representations containing lexico-semantic information with an impact on syntax), deals with morphosyntactic and collocational information of lexical units (see Mairal and Perrián 2009, for details).
- The *grammatical level*, or Grammaticon, is the repository of constructional schemata. It comprises several Constructicons that are inspired in the four constructional layers of the usage-based constructionist model known as the *Lexical Constructional Model* (Ruiz de Mendoza 2013; Ruiz de Mendoza and Galera 2014). In FunGramKB, constructional schemas help RRG to build the syntax-semantics linking algorithm.
- The *conceptual level* is made up of three sub-modules, all of which employ the same metalanguage (i.e. COREL) for the formal codification of different types of knowledge. This ensures that information sharing takes place effectively among all conceptual modules (Perrián and Arcas 2007). The Onomasticon,

which handles episodic knowledge, stores information about instances of entities and events (e.g. 9/11, Jim Morrison). The Cognicon contains procedural knowledge in the form of scripts (e.g. ‘going to a restaurant’). Finally, the Ontology, in which semantic knowledge is stored, is defined as a hierarchical or IS-A structured catalogue of the concepts that a person has in mind. Since this submodule is the pivot around which the whole knowledge base revolves, FunGramKB qualifies as a conceptualist approach to NLP.

In order to arrive at a general understanding of constructional schemas in FunGramKB, and the current computational treatment of causative path resultatives in specific, we shall address the type of information contained in the Lexicon, the Ontology, and the Grammaticon, as well as the way in which these modules interact with each other.

2.1. The Lexicon and the Ontology

In the Lexicon, the most important component in the case of verbal predicates is called ‘core grammar’ (see Figure 1). This component, which heavily draws on RRG, displays a list of attributes whose values allow the system to build the basic ‘conceptual logical structure’ (CLS) of verbs automatically (Mairal and Periñán 2016). More concretely, CLSs, which are meant to be employed in NLP applications that require natural language understanding, are automatically built by ARTEMIS (“Automatically Representing Text Meaning via an Interlingua-based System”), i.e. a proof-of-concept NLP system designed “to model the semantic representation of the input text in terms of a CLS” (Periñán and Arcas 2014: 189). CLSs involve a conceptual shift from RRG canonical logical structures, and thus a number of changes in the classical system of representation (see Periñán 2013: 218-220 for details). For example, in the metalanguage employed in the logical structures of RRG, which follows the conventions of formal semantics, constants capture the idiosyncratic meaning of predicates (Van Valin and LaPolla 1997: 102). They appear in boldface followed by a prime together with the required arguments: x, y, z (e.g. the English verb *see* is stored in the RRG Lexicon by means of the logical structure **see'**(x, y)). In order to solve some of the shortcomings that logical structures present (e.g. the fact that they only capture syntactically relevant lexico-semantic information or their redundancy in including the *definiendum* in the *definiens*; see Mairal, Periñán and Pérez 2012, and Van Valin and Mairal 2013), constants in the FunGramKB Lexicon have been replaced with ontological concepts (e.g. +SEE_00). These, however, preserve the Aktionsart distinctions posed by RRG. Accordingly, the CLS of *see* will be +SEE_00 (x, y). Although it might seem that there are not many differences between both systems of representation, CLSs do offer a more comprehensive representation of meaning, providing a greater amount of information as each concept in the Ontology is defined in terms of two semantic properties, i.e. a ‘Thematic Frame’ (TF) and a ‘Meaning Postulate’ (MP). While TFs realize the conceptual arguments that a given concept displays, MPs are sets of one or more logically connected predications ($e_1, e_2 \dots e_n$) that carry the meaning of concepts (Mairal and Periñán 2009: 224). Take the case of +SEE_00, which is identified by means of the following features:

- (i) TF: (x1: +HUMAN_00 ^ +ANIMAL_00)Theme (x2)Referent
(ii) MP: +(e1: +PERCEIVE_00 (x1)Theme (x2)Referent (f1: +EYE_00)Instrument)

From these language-independent representations, the machine “knows” that ‘seeing’ is a state that prototypically involves two participants: humans or animals (x1), and what is seen or (x2). In addition, it implies that the human or animal perceives something using their eyes. As CLSs contain a finer-grained semantic decomposition, which grants us access to world knowledge, they are employed to represent the meaning of input texts in FunGramKB.

To exemplify the type of information that the system uses to build a CLS, Table 1 presents the core grammar of the English verbal predicate *fly*:

Attribute	Description and example
Aktionsart	The most representative RRG verb class in which a given verb may occur (e.g. activity, accomplishment, causative accomplishment, etc.). <i>Fly</i> : Activity (i.e. a dynamic, atelic event)
	Variables The number of variables that a verbal predicate may take (i.e. x, y, z). As an intransitive verb, <i>fly</i> takes one variable, i.e. x .
	Thematic-frame mapping Through the TFM, the variables of the predicate are mapped onto one and only one participant in the thematic frame (cf. below) of the concept to which a given sense of a lexical unit is connected. x = Theme (i.e. entity in motion).
Lexical Template	Macroroles The idiosyncratic features assigned to the verb, namely, Actor and Undergoer (see Van Valin 2005: 60). x = Actor (i.e. roughly, the logical subject or the most agent-like participant).
	Kernel structures Depending on the number of variables in the lexical template, every verb will either occur in a Kernel-1 (intransitive), a Kernel-2 (monotransitive), or a Kernel-3 (ditransitive). <i>Fly</i> , which is an intransitive predicate, is automatically provided with a Kernel-1 (i.e. fly ' (x)).
Argument-structure constructions	The range of argument-structure constructions in which a given verb may be subsumed or fused. Some examples are: <ul style="list-style-type: none"> - Non-causative path resultative or intransitive motion construction (e.g. <i>The bird flew into the utility room</i>, GBAC, 2012). - Causative path resultative or caused-motion construction (e.g. <i>Israeli agents apprehended Adolf Eichmann in Argentina and flew him to Jerusalem for trial</i>; COCA, 2011). - <i>There</i>-insertion (Levin 1993: 88-92) (e.g. <i>There flew over the city a little Swallow</i>, GBAC, 2007).

Table 1: Core grammar: The case of fly.

In FunGramKB, lexical entries –or more concretely, the senses of a lexical entry–, are connected to different concepts in the Ontology, as much as the senses of a lexical unit in FrameNet evoke larger schematic representations of a situation type, i.e. ‘frames’ (Fillmore et al. 2003: 305). For example, *fly*, Spanish *volar*, German

fliegen, etc., are linked to the ontological unit +FLY_00, from which they get their conceptual representation via the TF and MP. The formal language that allows computational linguists to spell out a machine-readable representation of TFs and MPs is COREL (see Perrián and Mairal 2010b).

With this in mind, consider Figure 2:




Figure 2: Attribute-Value Matrix of fly and its conceptual representation.

On the one hand, Figure 2 presents the attributes of *fly*, which in FunGramKB, like in so-called computational CxGs (e.g. *Fluid CxG*; Steels 2011, 2012), are represented through Attribute-Value Matrices (AVMs). In this case, the AVM originates from the information contained in Table 1. Note that AVMs specify the different argument-structure constructions in which a verb may be embedded. *Fly*, for example, can be incorporated into the caused-motion construction (cf. CMOT), as in *I do know that I picked up a heart [...] and I flew it to the hospital* (GBAC, 2014). On the other hand, Figure 2 shows the conceptual knowledge in +FLY_00, to which, as noted above, the predicate *fly* is connected. The semantic properties of +FLY_00 in Figure 2 read as follows: ‘to fly means that a human or animal entity (x1) transports either themselves or another entity (x2) through the air from point A to point B using an aircraft. The aircraft is controlled by (x1), and both (x1) and (x2) are located inside the aircraft’. As may be apparent to the reader, the MP of +FLY_00 accounts for different senses of the verbal predicate *fly* within a single conceptual unit. The vast majority of concepts in FunGramKB, however, conceptually represent one sense of a given lexical unit, and as such, the view adopted in FunGramKB is the following: “word senses actually *are* concepts, i.e. cognitive units of knowledge” (Ovchinnikova 2012: 45, emphasis in the original; cf. Jackendoff 1983). Nevertheless, in this case, the machine is able to distinguish between senses in input texts like *Birds fly* and *The pilot flew the plane*. This is achieved thanks to the inference reasoning mechanism of FunGramKB (see Perrián and Arcas 2010), which works by recovering information from the TFs and MPs of other concepts in the Ontology. For example, +OPERATE_00 and +AIRCRAFT_00

are used to describe the semantics of +FLY_00, although, obviously, these make reference to a sense different from intransitive *fly* (e.g. *The poor bird couldn't fly*). However, the (x1) participant in the TF of +OPERATE_00, for example, is constrained by the concept +HUMAN_00. Since there is a mismatch between the (x1) role in +FLY_00 and the (x1) role in +OPERATE_00, the machine will “know” that an animal cannot operate an aircraft, although it can fly.

For the sake of comparison, let us briefly deal with FrameNet. In this lexical resource, *fly* evokes several frames, namely: ‘self-motion’ (e.g. *This is what moths are doing when they fly into a candle*); ‘motion’ as in *The arrow was flying towards her*; ‘bringing’ (e.g. *We will fly you both from Heathrow to Aberdeen*), ‘ride vehicle’ (e.g. *You can fly North-west Airlines from Gatwick to San Francisco*), and ‘operate vehicle’ (e.g. *He flies a plane*). These frames capture widely studied argument-structure constructions like the intransitive motion (cf. self-motion), caused-motion (cf. bringing), etc., in which *fly* participates. This type of fine-grained approach is in fact similar to the one put forward here. That is, instead of positing broad general constructions à la Goldberg (1995), we put forward more specific sub-constructions, or mini-constructions –in Boas’ terminology (Boas 2003, 2008, 2011)–, i.e. pairings of a particular function with a very specific syntactic frame.

FrameNet, however, is inconsistent in its treatment of grammatical constructions. To exemplify this, consider the self-motion frame, which FrameNet defines as follows:

The Self_mover, a living being, moves under its own direction along a Path. Alternatively or in addition to Path, an Area, Direction, Source, or Goal for the movement may be mentioned.

[https://framenet2.icsi.berkeley.edu/fnReports/data/frameIndex.xml?frame=Self_motion]

In the lexical entries for the noun *way* and the verb *make*, which are related to the self-motion frame, one finds realizations of the *way* construction such as *You can build an appetite for dinner by making your way from the beach to the restaurant*, *Hundreds of Californians made their way to their computers after the quake*, *The Knights of St. John, a holy military force, made their way to Rhodes and Kos in the Dodecanese*. Unlike *crawl*, *dance*, *hike*, *run*, *swim* or *walk*, which are some of the lexical items that also evoke the frame under scrutiny, *way* or *make* do not lexically entail self-motion unless subsumed in the broader syntactic context of the *way* construction, in the case at hand. In fact, note that realizations like the ones given above are redundantly listed in the English FrameNet Constructicon

(<http://sato.fm.senshu-u.ac.jp/frameSQL/cxn/CxNeng/cxn00/21colorTag/index.html>; see also Fillmore 2008 and Fillmore et al. 2012), i.e. the repository in which grammatical constructions are stored and annotated. More concretely, these cases exemplify what the English FrameNet Constructicon refers to as ‘way neutral’ construction (e.g. *She carefully made her way through the cluttered room to the altar*). Thus, with the aim of avoiding uncontrolled redundancy between the lexicographic database and the language-specific Constructicons, Torrent et al. (2014) have recently devised a set of annotation policies for the Brazil FrameNet Constructicon, which could also be potentially applied to other language-specific Constructicons. One such policy is concerned with the task of deciding what should be accounted for as an instance of a construction, or rather, as a valence pattern of a lexical unit in the lexicographic database. By contrast, border conflicts in the treatment of specific syn-

tactic structures do not pose a problem in FunGramKB in which there is a clearer-cut division between what goes in the Lexicon and what is part of the Grammaticon, the component to which we turn our attention now.

2.2. The Grammaticon

As advanced in the introduction, argument-structure constructions are housed in the FunGramKB Grammaticon, and more concretely in the L1-Constructicon. It should be noted that besides argument-structure constructions, the Grammaticon stores three additional construction types: (i) the L2-Constructicon addresses implicational constructions such as *What's X Doing Y?* (Kay and Fillmore 1999); (ii) the L3-Constructicon is devoted to the computational representation of illocutionary structure constructions, such as *Can you please X?*, which is conventionally used to make requests (Panther and Thornburg 1998); and (iii) the L4-Constructicon handles discourse structure constructions (e.g. *X Let Alone Y*; Fillmore, Kay and O'Connor 1988).

As was the case with lexical entries (cf. Figure 2), constructional schemas employ the same formal representation system, i.e. both are described in terms of AVMs which eventually merge via unification processes, following the paradigm of constraint-based or unification grammars (cf. Goldberg 2006: 215-217).

When processing an input text, specific argument-structure constructions are activated by means of a series of pointers in the Lexicon which link a given verbal predicate to the range of configurations in which it may participate. For example, as we saw with *fly*, the verbal predicate *break* is also connected to the caused-motion configuration in the Grammaticon, since it is compatible with such syntactic pattern: e.g. *Freddie broke the walnuts into the bowl* (Goldberg 1995: 86). Thus, taking this realization as a case in point, we now zoom in on the current computational treatment of the caused-motion construction in the L1-Constructicon (see Perrián and Arcas 2014: 173; Mairal 2015: 19), which we reproduce in Figure 3:




Figure 3: AVM of the caused-motion construction.

The following is a brief explanation of the different components making up the AVM in Figure 3:

- In the CLS, we first find that constructional schemas, as much as verbs in the Lexicon, are provided with an Aktionsart type, which, in the case of the construction at hand, is a causative accomplishment or CACC. This entails that the construction depicts an induced bounded change of location (cf. Van Valin and LaPolla 1997: 91-113, and Van Valin 2005: 42-48, for a detailed explanation of verb classes and the tests to identify them).
- The construction displays three variables, i.e. x (e.g. ‘Freddie’), y (e.g. ‘the walnuts’), w (e.g. ‘into the bowl’). Variables x and y are shared participants of both the verbal and constructional subevents (cf. Goldberg and Jackendoff 2004: 538), while the change of location (i.e. w) is contributed by the construction. In other words, the resultative ingredient in the realization above does not arise from the argument-structure of the causative verb *break*, which has two arguments, one acting as an Agent and the other as a Patient. Rather, it comes from the higher-level construct, i.e. the caused-motion construction, in which *break* can be embedded. Given this, only the thematic role, phrase, syntax, and selectional preferences of the w added variable need to be spelled out in the AVM of the caused-motion configuration. As such, w , which is assigned the thematic role ‘Goal’ (i.e. location to which in entity moves), can be realized by a Prepositional Phrase (PP). The descriptor labeled ‘syntax’ accounts for the syntactic status of the variables of the construction as argument or as nucleus (see Van Valin 2005: 4-5). In the case at hand, the PP functions as a nucleus, that is, the semantic predicate in RRG terms. In turn, selectional preferences, which employ concepts from the Ontology (cf. +LOCATION_00), work as conceptual constraints prototypically related to a cognitive situation. In this case, +LOCATION_00 captures the fact that caused motion events impose an actual change of location on the part of the affected entity, as opposed to PPs like “struggle somebody *to death*”, “break something *into pieces*”, etc., in which there is a change of state (interpreted as a metaphorical change of location).
- Finally, the COREL schema codifies the cognitive content of the construction by means of the same formal language employed in the conceptual module. It makes use of ontological concepts together with their corresponding MP. In Figure 3, the semantics contributed by the caused-motion construction can be translated as follows: ‘(x1: x)Agent causes (x2: y)Theme to move to (x5:w) Goal by means of event (verb)’. Note that this COREL schema is fully consistent with the skeletal semantic representation of the causative path resultative provided in Goldberg and Jackendoff (2004: 540), i.e. ‘X₁ CAUSE [Y₂ GO Path₃] by means of V-ing’.

Having explained the way verbs are handled in the Lexicon, as well as the current computational treatment of the caused-motion construction, we now show how the NLP system would generate the semantic representation of the caused-motion realization in (1a) through a CLS:

- (1) (a) Input text: *Freddie broke the walnuts into the bowl*

- (b) CLS: <_{IF} DECL <_{Tense} PAST <_{CONSTR-L1} CMOT <_{CONSTR-L1} KER2 <_{AKT} CACC [+BREAK_00 (%FREDDIE_00-Theme, +WALNUT_00-Referent, +BOWL_00-Goal)]>>>>>

As stated in Periñán (2013: 219), if reasoning is required to process the input text, as it would be the case in machine translation, the CLS is transduced into an extended COREL representation, so that it can be enriched with the conceptual knowledge from any cognitive module in FunGramKB. Thus, the CLS in (1b) is modeled into the COREL representation (2). In (2) the semantic contribution of the caused-motion construction, which is generated on the basis of the AVM in Figure 3, is highlighted in bold:

- (2) +(e1: past +BREAK_00 (x1: %FREDDIE_00)Theme (x2: +WALNUT_00)Referent (**f1: (e2: +MOVE_00 (x1)Agent (x2)Theme (x3)Location (x4)Origin (x5: +BOWL_00)Goal))Result**) ('Freddie caused the walnuts to fall into the bowl by means of breaking them')

Thus, through the constructional schema in Figure 3, the machine will be able to correctly provide the CLS of input texts whose semantics displays a causer argument directly causing the theme to move along a path designated by the PP (cf. Goldberg 1995: 152), as in: *She kicked the ball into the goal* (GBAC, 2009), *She sneezed the napkin off the table* (Steels and van Trijp 2011: 12), *The man laughed him out of the shop* (GBAC, 2011), *The scientist ran the rats through the maze* (Levin 1993: 31), *I pushed the cone into the current* (COCA, 1996), etc.

Nevertheless, the following section demonstrates that this constructional schema is insufficient to account for other realizations codifying motion such as *He flew Continental to Bush International Airport* (COCA, 2000), *Petersen will show you out* (GBAC 2006), etc.

3. Constructional subtypes

Goldberg and Jackendoff (2004: 535) treat resultatives as forming a family of sub-constructions that share important properties but differ in certain specifics. Much like the rest of the constructional members that participate in this family, the English caused-motion construction shows a great deal of semantic and syntactic variation. In line with Goldberg and Jackendoff (2004), we argue that, besides the caused-motion construction in Figure 3, three minimally distinct transitive motion or path sub-constructions need to be posited in order for the machine to correctly process different realizations of the same general construction.

To begin with, recall that the COREL schema in Figure 3 specifies that the Agent causes the Theme to move to a destination or goal, as in *I shoved the canoe into the deep water* (GBAC, 2004). Note that in this literal example, the object referent is the only entity traversing the path expressed by the Resultative Phrase (RP), i.e. the canoe moves into the water. However, the examples in (3) show that changes of location may be depicted in various ways:

- (3)(a) The prince galloped his horse into the woods (GBAC, 2005).
 (b) He walked the dog to the store (COCA, 1993).
 (c) He'd make a good watchdog [...] he could run the rats out of the barn (GBAC, 2003).
 (d) Obuchi-san and Ichiro walked him to the station (GBAC, 2011).
 (e) When we reached his floor, he helped me into his room where he gently put me down on the couch (GBAC, 2014).
 (f) Let me show you into the waiting room (GBAC, 2010).
 (g) Nurses wheel him into the operating room (COCA, 2006).

As opposed to the literal example with *shove* above, the realizations in (3) display externally induced self-instigated changes of location in which both Agent and Patient end up in a different location as the result of the action denoted by the verb. Let us consider each of them in more detail.

In (3a,b) an animate volitional entity (cf. the horse/dog) is manipulated into moving as instigated by the causer of motion, who is also the one that determines or controls the path to be followed (cf. Levin 1993: 31). The causee is thus accompanied by the causer of motion, who either rides or walks together with the animal. A different form of caused motion is that of (3c). Once again, both the Subject and the Object end up in a different location. However, in this case, it is the chasing activity that causes the rats to move towards the desired destination (i.e. outside the barn), as opposed to the kind of accompanied causation codified in (3a,b).

One aspect that is not addressed in Goldberg and Jackendoff's (2004) analysis of the members of the family of the resultative is the role that cognitive operations play as licensing factors on lexical-constructional unification (see Ruiz de Mendoza and Mairal 2008; Peña 2015). These explain why certain verbal predicates are allowed in a given construction, while others, even semantically related ones, are not (see Ruiz de Mendoza and Galera (2014) for an in-depth discussion). For example, (3a,b,c) are motivated by what authors like Ruiz de Mendoza and Pérez (2001: 334-336) label 'high-level' or grammatical metonymy (see also Ruiz de Mendoza and Mairal 2008; Ruiz de Mendoza and Galera 2014). More concretely, these instances are licensed by the high-level metonymy A CAUSED EVENT FOR AN ACTIVITY, through which the activities of galloping, walking and running are seen as part of a causal event including them. The linguistic expression specifies the causal event, which stands for the activity in the target domain. This metonymic development where the *y* constructional argument is both the object of the subject's causal action (e.g. '*x* runs the rats') and the actor of the activity ('the rats run'), is consistent with our experience, thus allowing inherently intransitive (non-causal) predicates into the caused-motion construction.

Now compare (3b) and (3d). In both cases the syntactic pattern has coerced the intransitive verb *walk* to shift its valency from a one-place predicate to a three-place predicate. Despite their formal similarity, however, only (3b) is causative. That is, the paraphrase of (3b) would be 'He caused his dog to walk to the store'. In other words, this realization gives prominence to the caused event over the idea of accompaniment, which is latent. By contrast, the example *They walked him to the station*, or other likes *Let me walk you to the door* (GBAC, 2012), are more appropriately paraphrased as 'They accompanied him as they walked to the station' than 'They caused him to walk to the station'. Therefore, in these examples the idea of accompa-

niment gains prominence over causation of motion, especially in contexts in which it is evident that motion is a willful choice on the part of the non-subcategorized object. It may be argued that these instances involve a further metonymic extension of causative *walk* in (3b), which arises from the fact that as one causes a person to walk, they are in fact accompanying them. This shift of meaning allowing transitive uses of *walk* would be licensed by the high-level metonymy CAUSED MOTION FOR ACCOMPANIED MOTION. Other forms of accompanied motion –or, in some cases, ‘aided motion’–, are provided in (3e)-(3g). Unlike *walk*, *gallop*, or *run*, *show* in (3f), for example, is a transitive verbal predicate. As such, it does not require a process of transitivity; the directional phrase being the only argument contributed by the construction. In this case, the integration of *show* into the caused-motion frame is licensed by a ‘high-level’ metaphor in which a perceptual action like showing is understood as if it were caused motion (see Baicchi 2007). Although space constraints preclude a more elaborate explanation of the role of high-level metaphor and metonymy, our analysis shows that, on the basis of these cognitive operations, all realization possibilities of a given construction can be economically accounted for. Unfortunately, the computational tractability of the metaphor/metonymy-based solution in FunGramKB has not been investigated yet, probably due to its highly generic format.

This necessarily brief discussion evidences that the computational approach to the caused-motion configuration given in Section 2.2 is insufficient to process some examples expressing caused motion (cf. *walk the dog*) and/or accompanied/aided motion (cf. *wheel somebody into the room*). As a result, an alternative approach requires the postulation of two additional subtypes of the caused-motion pattern. These constructional schemas, which we shall label ‘Accompanied motion constructions (transitive)’ (AMCT), are given in Figures 4 and 5:




Figure 4: AVM of the ‘accompanied motion construction’: sub-type 1.




Figure 5: AVM of the ‘accompanied motion construction’: sub-type 2.

Although minimally, these representations differ from the original caused-motion construction (cf. Figure 3) in two ways. First, while the current approach to the construction at hand only contemplates the addition of one constructional argument (i.e. the directional phrase), the AVMs in Figures 4 and 5 are posited in order to respectively account for intransitive and transitive verbs. In the former, both the object (*w*) and the RP (*p*) are arguments of the construction, as in *Let me walk you to the door*. The latter is meant to cover cases such as *I will show you out*, in which the construction is solely responsible for the incorporation of the RP. Second, the COREL description of the new constructional schemas differs from the original one in that it explicitly codifies the fact that the patient role moves from point A to point B *because* the causer of motion moves towards the same destination as well. Such a cognitive representation subsumes the different types of simultaneous motion on the part of both Agent and Patient that were discussed through the instances in (3).

Finally, a different type of structure is that of *Mac flew Continental to Bush International Airport*, which Goldberg and Jackendoff (2004: 553) refer to as a case of the ‘transitive noncausative spatial resultative’. This specific realization is distinguished from everything we have addressed thus far in that, although the expression is a transitive one, it is the Subject rather than the Object that changes location. In Goldberg and Jackendoff (2004: 537) the Noun Phrase (NP) that undergoes a change of location or state whose endpoint is expressed by the RP is called the ‘host’ of the

RP. Under normal circumstances, the choice of host is directly related to transitivity. That is, the host of the intransitive motion construction is the Subject (e.g. *The ball rolled down the hill*), whereas the affected entity of a transitive realization is the Object, as in *Bill rolled the ball down the hill*. *Mac flew Continental to Bush International Airport*, however, defies this behavior since, in this particular case, the host of the RP is the Subject, i.e. the entity in motion. Semantically, in addition, this spatial resultative is different from previous instances due to the fact that the direct object is not a Patient: Mac is not acting on Continental or, more concretely, the plane flown by Continental Airlines. However, Goldberg and Jackendoff miss the fact that although Mac is not the causer argument, the event is in fact causal, i.e. a pilot working for Continental Airlines makes the plane in which Mac is a passenger fly to a destination. Thus, the real Agent or causer role (the pilot) is omitted so that the Patient can appear in Subject position. This process of re-construal is licensed by a high-level metonymy by virtue of which the activity of ‘Mac flying’ stands for a caused event in which ‘Mac is flown’ to a different location. Following upon this logic, the paraphrase of this example would be ‘Someone caused a plane owned by Continental Airlines, in which Mac is a passenger, to fly to Bush International Airport’. As with *John walked the dog to the park*, the construction coerces the intransitive predicate *fly*, whose description was given in Table 1, to expand its valency to a three-place predicate. This is also the case in sentences like *Jake flew him to New York* (GBAC, 2012). The difference between these examples lies in the choice of Object contributed by the construction. In *Mac flew Continental*, which is the one that concerns us here, it is pragmatic factors that motivate the presence of the airline in the object slot. If compared to *Mac flew to Bush International Airport with Continental*, in which the airline company is peripherally referred to through a PP, it is the emphasis on the means (the vehicle) by which Mac flies to the airport that allows the non-affected entity to immediately follow the verb. Interestingly enough, pragmatic factors can also motivate the insertion of fake reflexives (Simpson 1983; Peña 2016) in object position, as in *Blair walked himself back to bed*. In line with Boas’ (2003: 240-250) analysis of this last example, the fake reflexive fulfills a relevant pragmatic function, i.e. that of overcoming an obstacle in order to reach the desired destination. As it happens with the *way* construction (e.g. *A tribute to the 70,000 Mormon pioneers who pushed, pulled, and walked their way across America’s prairies and mountains to the Great Salt Lake Valley stands near the south wall of Temple Square*; Google Books (2012): *Table in the Wilderness: This Place Temple Square*, by M. Stewart. Accessed 7 April, 2016) the fact that motion implies some kind of extra effort is not obtained in the absence of the fake-reflexive object: *Blair walked back to bed*. But pragmatic factors are not the only motivating mechanism in *Mac flew Continental to Bush International Airport*. First, ‘Continental’ is exploited metonymically to stand for ‘a flight operated by Continental’ in the target domain, which is what we are actually referring to. On the basis of this previous operation, we build the high-level metonymy spelled out above, i.e. A CAUSED EVENT FOR AN ACTIVITY.

Bearing this in mind, the constructional schema that would account for *Mac flew Continental to Bush International Airport*, as well as others in which there is a ‘route’-type argument in the object slot (e.g. *We drove Highway 53 back to Rome*; Google Books (2011): *Early Grave: A True Story of Murder and Passion*, by T. C. Cook. Accessed 7 April, 2016) is provided in Figure 6




Figure 6: AVM of the transitive spatial resultative.

This constructional schema stands apart from previous AVMs in two ways. On the one hand, the *w* constructional argument is assigned the thematic role ‘location’, which is in turn constrained by the selectional preferences +VEHICLE_00 (cf. a plane operated by Continental) or +PATH_00 (cf. Highway 53). On the other, the *x* variable, which is an argument shared by both the verbal and the constructional subevents, is mapped onto the Theme or the entity in motion, as opposed to previous cases in which *x* was the causer of motion. In turn, the real Agent of the action can be retrieved from the MP of +FLY_00 (see Figure 2), which not only specifies that there is a human (*x1*)Agent entity who transports a Theme role using an aircraft that is operated by (*x1*), but also the fact that both Agent and Theme are located inside the aircraft.

To conclude, we now turn our attention to how the machine will process input texts containing the AVMs presented above. In other words, we show below how the NLP system would generate the semantic representation or CLS of some realizations of the accompanied motion constructions (Figures 4 and 5) and the transitive spatial resultative (Figure 6).

- (4) (a) *Mary walked the dog to the park.*
- (b) CLS: <DECL <Tense PAST <AMCTI <CONSTR-L1 KER1 <CONSTR-L1 CACC [+WALK_00 (%MARY_00-Agent, +DOG_00-Theme, +PARK_00-Goal)]>>>>>.
- (5) (a) *Sarah will show Peter out.*

- (b) CLS: <_{IF} DECL <_{Tense} FUT <_{CONSTR-L1} AMCT2 <_{CONSTR-L1} KER2 <_{AKT} CACC [+SHOW_00 (%SARAH_00-Theme, %PETER_00-Referent, +OUT_00-Goal)]>>>>>.
- (6) (a) *Mac flew Continental to Bush International Airport.*
- (b) CLS: <_{IF} DECL <_{Tense} PAST <_{CONSTR-L1} TRSR <_{CONSTR-L1} KER1 <_{AKT} CACC [+FLY_00 (%MAC_00-Theme, %CONTINENTAL_AIRLINES_00-Location, %BUSH_INTERNATIONAL_AIRPORT_00-Goal)]>>>>>.

As explained in section 2.2, if some kind of reasoning were required, the CLSs above would need to be enhanced with the knowledge stored in any of the modules in FunGramKB, resulting in the COREL representations in (7)-(9), where the semantic contribution of the three sub-constructions is incorporated:

- (7) +(e1: past +WALK_00 (x1: %MARY_00)Agent (x2)Theme (x3: +GROUND_00)Location (x4)Origin (x5)Goal (f1: (e2: +MOVE_00 (x1)Agent (x2:+DOG_00)Theme (x3)Location (x4)Origin (x5: +PARK_00)Goal))Result (f2: (e3: +MOVE_00 (x1)Agent (x1)Theme (x3)Location (x4)Origin (x5)Goal))Reason)
- (8) +(e1: fut +SHOW_00 (x1: %SARAH_00)Theme (x2: %PETER_00)Referent (f1: (e2: +MOVE_00 (x1)Agent (x2)Theme (x3)Location (x4)Origin (x5: +OUT_00)Goal))Result (f2: (e3: +MOVE_00 (x1)Agent (x1)Theme (x3)Location (x4)Origin (x5)Goal))Reason)
- (9) +(e1: past +FLY_00 (x1)Agent (x2: %MAC_00)Theme (x3)Location (x4)Origin (x5)Goal (f1: (e2: +MOVE_00 (x1)Agent (x2)Theme (x3: %CONTINENTAL_AIRLINES_00)Location (x4)Origin (x5: %BUSH_INTERNATIONAL_AIRPORT_00)Goal))Result)

Consequently, enriching the constructional information that NLP systems house will result in better applications that require text understanding, such as question answering, information extraction, and dialogue systems. Therefore, the three different subtypes of constructions presented in this paper, depending on whether it is the Agent and the Patient or the Patient in Subject position the ones that change location, aid to build up the strength of FunGramKB and the potential NLP applications in which it will be implemented. This, however, contrasts with the type of semantic contribution that CLSs will display if only one type of CMC is posited (cf. Figure 3 and the COREL representation in (2)).

4. Conclusion

This paper has shown that the current constructional schema of the caused-motion or causative spatial resultative construction is too broad to account for the semantic and syntactic complexity of possible realizations of the same general construction. Thus, in order to provide a finer-grained computational treatment, we have drawn insights from CxG approaches in an attempt to enhance the current RRG-based constructional schemas in FunGramKB. This procedure is consistent with the very nature of FunGramKB, a computational project that bridges the gap between theoretical linguistics and NLP. To that end, we have posited three additional subtypes of motion configura-

tions that pair specific semantics/pragmatics with a particular form, thus resulting in minimally distinct, yet related, subconstructions. Likewise, we have briefly discussed the pervasive licensing role of cognitive operations like high-level metaphor and metonymy in lexical-constructional integration. Although on the basis of two cognitive operations, we can account for diverse realizational possibilities without the need to posit very specific constructions, the highly abstract nature of such cognitive mechanisms does not easily comply with computational requirements.

Acknowledgements

The research projects on which this paper is based have received financial support from the Spanish Ministry of Economy and Competitiveness, grants no. FFI2013-43593-P and FFI2014-53788-C3-1-P.

References

- Baicchi, Annalisa (2007). The high-level metaphor in the caused-motion construction. Paper presented at the workshop *Bridging the gap between functionalism and cognitivism: The Lexical Constructional Model*. 40th Annual Meeting of the Societas Linguistica Europaea: Functionalism in Linguistics, University of Joensuu, 29 August–1 September.
- Baker, Collin F. (2014). FrameNet: A knowledge base for Natural Language Processing. *Proceedings of Frame Semantics in NLP: A Workshop in Honor of Chuck Fillmore (1929–2014)*. Baltimore, Maryland USA, 1–5.
- Boas, Hans C. (2003). *A Constructional Approach to Resultatives*. Stanford: CSLI Publications.
- Boas, Hans C. (2005). Determining the productivity of resultative constructions: A reply to Goldberg & Jackendoff. *Language* 81(2), 448-464.
- Boas, Hans C. (2008). Determining the structure of lexical entries and grammatical constructions in Construction Grammar. *Annual Review of Cognitive Linguistics* 6, 113-144.
- Boas, Hans C. (2011). Coercion and leaking argument structures in Construction Grammar. *Linguistics* 49(6), 1271-1303.
- Bod, Rens (2009). Constructions at work or at rest? *Cognitive Linguistics* 20(1), 129–134.
- Burchardt, Aljoscha, Pennacchiotti, Marci, Thater, Stefan and Pinkal, Manfred (2009). Assessing the impact of frame semantics on textual entailment. *Natural Language Engineering*, 15(4): 527–550.
- Callison-Burch, Chris and Osborne, Miles (2003). Statistical Natural Language Processing. In Ali Farghaly (ed.): *Handbook for Language Engineers*, Stanford: CSLI Publications, 269-297.
- Cambria, Erik and White, Bebo (2014). Jumping NLP curves: A review of natural language processing research. *IEEE Computational Intelligence Magazine*, 48-57. DOI 10.1109/MCI.2014.2307227.
- Diedrichsen, Elke (2016). Does NLP need Theoretical Linguistics? In Carlos Perrián and Eva M. Mestre (eds.): *Understanding Meaning and Knowledge Representation: From Theoretical and Cognitive Linguistics to Natural Language Processing*. UK: Cambridge Scholars Publishing, 249-256.

- Dimitriadis, Alexis (2010). Matching needs and resources: How NLP can help theoretical linguistics. *Proceedings of the 2010 Workshop on NLP and Linguistics: Finding the Common Ground, ACL 2010*. Uppsala, Sweden, 22–24.
- Fillmore, Charles J. (1976). Frame Semantics and the nature of language. In Stevan R. Harnad, Horst D. Steklis and Jane Lancaster (eds.): *Origins and Evolution of Language and Speech*, New York: New York Academy of Sciences, 20-32.
- Fillmore, Charles J. (1982). Frame Semantics. In The Linguistic Society of Korea (ed.): *Linguistics in the Morning Calm*. Seoul: Hanshin, 11-137.
- Fillmore, Charles J. (2008). Border conflicts: FrameNet meets construction grammar. In *Proceedings of EURALEX13*. Barcelona: Universitat Pompeu Fabra. 49–68.
- Fillmore, Charles J. and Atkins, Beryl T. (1992). Towards a frame-based organization of the lexicon: The semantics of RISK and its neighbors. In Adrienne Lehrer and Eva Kittay (eds.): *Frames, Fields, and Contrasts: New Essays in Semantics and Lexical Organization*, Hillsdale: Lawrence Erlbaum, 75-102.
- Fillmore, Charles J., Johnson, Christopher R. and Petruck, Miriam R. L. (2003). Background to FrameNet. *International Journal of Lexicography* 16(3), 235-250.
- Fillmore, Charles J., Kay, Paul, and O'Connor, Mary Catherine (1988). Regularity and idiomatity in grammatical constructions: The case of *let alone*. *Language* 64, 501–538.
- Fillmore, Charles J., Lee-Goldman, R. R., and Rhomieux, R. (2012). The FrameNet constructicon. In Hans C. Boas and Ivan Sag (eds.): *Sign-Based Construction Grammar*, Stanford: CSLI. 309–372.
- Goldberg, Adele E. (1995). *Constructions: A Construction Grammar Approach to Argument Structure*. Chicago: University of Chicago Press.
- Goldberg, Adele E. (2006). *Constructions at Work: The Nature of Generalization in Language*. Oxford: Oxford University Press.
- Goldberg, Adele E. (2013). Explanations and constructions. *Mind and Language* 28(4): 479-485.
- Goldberg, Adele E. & Jackendoff, Ray S. (2004). The English resultative as a family of constructions. *Language* 80, 532-568.
- Guest, Elizabeth (2008). Parsing for Role and Reference Grammar. In Robert D. Van Valin Jr. (ed.): *Investigations of the Syntax-Semantics-Pragmatics Interface* [Studies in Language Companion Series 105], Amsterdam & Philadelphia: John Benjamins. 435-453.
- Hoffmann, Thomas (2017). Construction Grammars. In Barbara Dancygier (ed.): *The Cambridge Handbook of Cognitive Linguistics*, Cambridge: Cambridge University Press. 435-453.
- Hoffmann, Thomas and Trousdale, Graeme (2013). *The Oxford Handbook of Construction Grammar*. Oxford: Oxford University Press.
- Jackendoff, Ray S. (1983). *Semantics and Cognition*. Cambridge, Mass.: MIT Press.
- Jiménez, Rocío and Luzondo, Alba (2013). Constructions in Role and Reference Grammar: The case of the English resultative. In Brian Nolan and Elke Diedrichsen (eds.): *Liking Constructions into Functional Linguistics: The Role of Constructions in RRG Grammars* [Studies in Language Companion Series 145], Amsterdam & Philadelphia: John Benjamins, 179-204.
- Kay, Paul and Fillmore, Charles J. (1999). Grammatical constructions and linguistic generalizations: The *What's X doing Y?* construction. *Language*, 75 (1), 1–33.
- Levin, Beth. (1993). *English Verb Classes and Alternations*. Chicago: University of Chicago Press.

- Luzondo, Alba and Ruiz de Mendoza, Francisco (2015). Argument structure constructions in a Natural Language Processing environment. *Language Sciences* 48, 70-89.
- Mairal, Ricardo (2015). Constructional meaning representation within a knowledge engineering framework. *Review of Cognitive Linguistics* 13(1), 1-27.
- Mairal, Ricardo and Perrián, Carlos (2009). The anatomy of the lexicon component within the framework of a conceptual knowledge base. *Revista Española de Lingüística Aplicada* 22, 217-244.
- Mairal, Ricardo and Perrián, Carlos (2016). Representing constructional schemata in FunGramKB Grammaticon. In Jens Fleischhauer, Anja Latrouite and Rainer Osswald (eds.): *Exploring the Syntax-Semantics Interface* [Series Studies in Language and Cognition]. Düsseldorf: Düsseldorf University Press, 77-108.
- Mairal, Ricardo, Perrián, Carlos and Pérez, María Beatriz. (2012). La representación léxica. Hacia un enfoque ontológico. In Ricardo Mairal, Lilián Guerrero & Carlos González (eds.): *El Funcionalismo en la Teoría Lingüística. La Gramática del Papel y la Referencia. Introducción, Avances y Aplicaciones*, Madrid: Akal, 85-102.
- Nolan, Brian (2016). What can Theoretical Linguistics do for Natural Language Processing research? In Carlos Perrián and Eva M. Mestre (eds.): *Understanding Meaning and Knowledge Representation: From Theoretical and Cognitive Linguistics to Natural Language Processing*. UK: Cambridge Scholars Publishing, 235-248.
- Nolan, Brian (2014). Theoretical and computational considerations of linking constructions in Role and Reference Grammar. *Review of Cognitive Linguistics* 12(2), 410-442.
- Nolan, Brian and Perrián, Carlos (eds.). (2014). *Language Processing and Grammars: The Role of Functionally Oriented Computational Models* [Studies in Language Companion Series 150]. Amsterdam & Philadelphia: John Benjamins.
- Nolan, Brian and Salem, Yasser (2010). UniArab: An RRG Arabic-to-English machine translation software. In Wataru Nakamura (ed.): *Proceedings of 10th International Conference on Role and Reference Grammar (RRG 2009)*. University of California, Berkeley, 243-271.
- Ovchinnikova, Ekaterina (2012). *Integration of World Knowledge for Natural Language Understanding*. Amsterdam & Paris & Beijing: Atlantis Press.
- Ovchinnikova, Ekaterina, Vieu, Laure, Oltramari, Alessandro, Borgo, Stefano and Alexandrov, Theodore (2010). Data-driven and ontological analysis of FrameNet for Natural Language Reasoning. In *Proceedings of the 7th Conference on International Language Resources and Evaluation (LREC'10)*, Valletta: Malta, 3157-3164.
- Panther, Klaus-Uwe and Thornburg, Linda (1998). A cognitive approach to inferencing in conversation. *Journal of Pragmatics* 30, 755-769.
- Peña, M. Sandra (2009). Constraints on subsumption in the caused-motion construction. *Language Sciences* 31(6), 740-765.
- Peña, M. Sandra (2015). A constructionist approach to causative “frighten” verbs. *Linguistics* 53(6): 1247-1302.
- Peña, M. Sandra (2016). Cognitive mechanisms underlying fake reflexive resultatives. *Australian Journal of Linguistics* 36(4), 502-541.
- Perrián, Carlos (2012). En defensa del procesamiento del lenguaje natural fundamentado en la lingüística teórica. *Onomázein* 26, 13-48.
- Perrián, Carlos (2013). Towards a model of constructional meaning for natural language understanding. In Brian Nolan and Elke Diedrichsen (eds): *Liking Constructions into Functional Linguistics: The Role of Constructions in RRG Grammars* [Studies in Language Companion Series 145], Amsterdam & Philadelphia: John Benjamins, 205-230.

- Periñán, Carlos and Arcas, Francisco (2007). Cognitive modules of an NLP knowledge base for language understanding. *Procesamiento del Lenguaje Natural* 39, 197-204.
- Periñán, Carlos and Arcas, Francisco (2010). The architecture of FunGramKB. In *Proceedings of the Seventh International Conference on Language Resources and Evaluation, European Language Resources Association (ELRA)*, 7th International Conference on Language Resources and Evaluation, Valeta (Malta), 2667-2674.
- Periñán, Carlos and Arcas, Francisco (2014). The implementation of the FunGramKB CLS Constructor. In Brian Nolan and Carlos Periñán (eds.): *Language Processing and Grammars: The Role of Functionally Oriented Computational Models*. [Studies in Language Companion Series 150], Amsterdam & Philadelphia: John Benjamins, 165-196.
- Periñán, Carlos and Mairal, Ricardo (2010a). Enhancing UniArab with FunGramKB. *Procesamiento del Lenguaje Natural* 44, 19-26.
- Periñán, Carlos and Mairal, Ricardo (2010b). La gramática de COREL: Un lenguaje de representación conceptual. *Onomázein* 21, 11-45.
- Periñán, Carlos and Mairal, Ricardo (2012). La dimensión computacional de la GPR: La estructura lógica conceptual y su aplicación en el procesamiento del lenguaje natural. In Ricardo Mairal, Lilián Guerrero and Carlos González Vergara (eds.): *La Gramática del Papel y la Referencia: Introducción, Avances y Aplicaciones*, Madrid: Akal, 333-348.
- Periñán, Carlos and Mestre, Eva M. (eds.). (2016). *Understanding Meaning and Knowledge Representation: From Theoretical and Cognitive Linguistics to Natural Language Processing*. UK: Cambridge Scholars Publishing.
- Ruiz de Mendoza, Francisco J. (2013). Meaning construction, meaning interpretation and formal expression in the Lexical Constructional Model. In Brian Nolan and Elke Die-drichsen (eds): *Linking Constructions into Functional Linguistics: The Role of Constructions in RRG Grammars* [Studies in Language Companion Series]. Amsterdam & Philadelphia: John Benjamins, 231-270.
- Ruiz de Mendoza, Francisco J. and Galera, Alicia (2014). *Cognitive Modeling: A Linguistic Perspective*. Amsterdam & Philadelphia: John Benjamins.
- Ruiz de Mendoza, Francisco J. and Mairal, Ricardo (2008). Levels of description and constraining factors in meaning construction: An introduction to the Lexical Constructional Model. *Folia Linguistica* 42(2), 355-400.
- Ruiz de Mendoza, Francisco J. and Pérez, Lorena (2001). Metonymy and the grammar: Motivation, constraints, and interaction. *Language and Communication* 21: 321-357.
- Ruppenhofer, Josef, Ellsworth, Michael, Petruck, Miriam R. L., Johnson, Christopher R. and Scheffczyk, Jan (2010). *FrameNet II: Extended Theory and Practice*. <<https://framenet2.icsi.berkeley.edu/docs/r1.5/book.pdf>>.
- Salem, Yasser, Hensman, Arnold and Nolan, Brian (2008). Towards Arabic to English machine translation. *ITB Journal* 17, 20-31.
- Sharma, Dipti Misra (2010). On the role of NLP in Linguistics. *Proceedings of the 2010 Workshop on NLP and Linguistics: Finding the Common Ground, ACL 2010*, Uppsala, Sweden, 18-21.
- Shen, Dan and Lapata, Mirella (2007). Using semantic roles to improve question answering. In Association for Computational Linguistics: *Proceedings of the 2007 Joint Conference on Empirical Methods in Natural Language Processing and Computational Natural Language Learning*, Prague, 12-21.
- Simpson, Jane (1983). Resultatives. In Lori Levin, Malka Rappaport and Annie Zaenen (eds.): *Papers in Lexical-Functional Grammar*, Bloomington: Indiana University Linguistics Club. 143-158.

- Steels, Luc (2011). Introducing Fluid Construction Grammar. In Luc Steels (ed.): *Design Patterns in Fluid Construction Grammar*, Amsterdam & Philadelphia: John Benjamins, 3–30.
- Steels, Luc (2012). Design methods for fluid Construction Grammar. In Luc Steels (ed.): *Computational Issues in Fluid Construction Grammar. A New Formalism for the Representation of Lexicons and Grammars*. Berlin & Heidelberg: Springer. 3-36. DOI: 10.1007/978-3-642-34120-5.
- Steels, Luc and van Trijp, Remi (2011). How to make construction grammars fluid and robust. In Luc Steels (ed.): *Design Patterns in Fluid Construction Grammar*, Amsterdam & Philadelphia: John Benjamins. 301-330.
- Torrent, Tiago Timponi, Meireles Lage, Ludmila, Fernandes Sampaio, Thais, da Silva Tavares, Tatiane and da Silva Matos, Ely Edison (2014). Revisiting border conflicts between FrameNet and Construction Grammar. Annotation policies for the Brazilian Portuguese Constructicon. *Constructions and Frames* 6:1 (2014), 33–50.
- Van Valin, Robert D. Jr. (2005). *Exploring the Syntax-Semantics Interface*. Cambridge: Cambridge University Press.
- Van Valin, Robert D. Jr. and LaPolla, Randy J. (1997). *Syntax, Structure, Meaning and Function*. Cambridge: Cambridge University Press.
- Van Valin, Robert D. Jr. and Mairal, Ricardo (2014). Interfacing the Lexicon and an Ontology in a linking algorithm. In M^a Ángeles Gómez, Francisco Ruiz de Mendoza and Francisco González-García (eds.): *Theory and Practice in Functional-Cognitive Space*, Amsterdam & Philadelphia: John Benjamins, 205-228.
- Winther-Nielsen, Nicolai (2009). Biblical Hebrew parsing on display: The Role Lexical Module (RLM) as a tool for Role and Reference Grammar. *SEE-J Hiphil* 6: 1-51. <<http://www.see-j.net/index.php/hiphil/article/view/78>>.