

Supplementary material of ‘New annotated checklist of the Portuguese oaks (*Quercus*, Fagaceae)’, by Carlos Vila-Viçosa et al. *Mediterr. Bot.* 44, e79286.
<https://doi.org/10.5209/mbot.79286>

Appendix S1. Taxonomic scheme
(* cultivated):

Quercus Linnaeus (1753: 994)

I. *Quercus* subgen. *Cerris* Oersted (1866: 74)

i. Section *Cerris* Dumortier (1829: 15)

1. **Quercus acutissima* Carruthers (1862: 33)
2. **Quercus afares* Pomel (1875: 391)
3. **Quercus castaneifolia* C.A. Meyer (1831: 44)
4. **Quercus cerris* Linnaeus (1753: 997)
5. **Quercus × crenata* Lamarck (1785: 724)
6. **Quercus ithaburensis* Decaisne (1835: 348)
7. **Quercus × libanerris* Boom (1959: 157)
8. **Quercus macrolepis* Kotschy (1860: 16)
9. *Quercus suber* Linnaeus (1753: 995)
10. **Quercus variabilis* Blume (1851: 297)
11. **Quercus libani* G.Olivier (1801: 290)

ii. Section *Cyclobalanopsis* (Oerst.) Bentham & Hooker (1880: 408)

12. **Quercus glauca* Thunberg (1784: 858)
13. **Quercus lamellosa* Sm. (1814: 29)
14. **Quercus lineata* Blume (1826: 523)
15. **Quercus morii* Hayata (1911: 293)
16. **Quercus myrsinifolia* Blume (1851: 305)
17. **Quercus schottkyana* Rehder & E.H.Wilson (1916: 237) Sargent (1916)
18. **Quercus sessilifolia* Blume (1851: 305)
19. **Quercus stenophylloides* Hayata (1914: 21)

iii. Section *Ilex* Loudon (1838: 1899)

20. **Quercus floribunda* Lindl. ex A.Camus (1935: 131)
21. **Quercus franchetii* Skan (1899: 513)
22. **Quercus lanata* Sm. (1814: 29)
23. **Quercus leucotrichophora* A.Camus (1935: 66)
24. **Quercus phillyreoides* A. Gray (1859: 406)

iii.i Subsection *Ilex* Oerst (1866: 69)

25. **Quercus ilex* Linnaeus (1753: 995)
26. *Quercus rotundifolia* Lam. (1785: 723)

iii.ii Subsection *Cocciferae* (Spach) Gürke (1897: 70)

27. **Quercus alnifolia* Poech (1842: 12)
28. **Quercus aucherii* Jaub. & Spach (1843: 113)
29. *Quercus airensis* Franco & Vasconcellos (1954: 119) prop. hybr.
30. **Quercus calliprinos* Webb (1838: 15)

31. *Quercus coccifera* L. (1753: 995)
 32. *Quercus pseudococcifera* Desfontaines (1798: 349)
 33. *Quercus pseudococcifera* subsp. *rivasmartinezii* (Capelo & J.C. Costa) Capelo & al.
comb. nov.

II. *Quercus* subgen. *Quercus* Hicke I & Camus (1921: 379)

iv. Section Lobatae Loudon (1830: 385)

34. **Quercus alapensis* Bonplant (1809: 24) Humboldt & Bonplant (1809)
 35. **Quercus ×benderi* Baenitz (1903: 85) Kneucker (1904)
 36. **Quercus benthamii* A. De Candolle (1864: 29)
 37. **Quercus brenesii* Trelease (1924: 186)
 38. **Quercus calophylla* Schltdl. & Cham. (1830:79)
 39. **Quercus canbyi* Trel. (1924: 188)
 40. **Quercus cupreata* Trel. (1936: 152)
 41. **Quercus emoryi* Torr. (1848: 152)
 42. **Quercus ×exacta* Trel. (1917: 49)
 43. **Quercus frutex* Trelease (1924: 82)
 44. **Quercus georgiana* M.A.Curtis (1849: 408)
 45. **Quercus gravesii* Sudw. (1927: 86)
 46. **Quercus humboldtii* Bonplant (1809: 155)
 47. **Quercus imbricaria* Michaux (1801: 16)
 48. **Quercus laurifolia* Michaux (1801: 17)
 49. **Quercus laurina* Bonplant (1809: 32)
 50. **Quercus ×leana* Nuttall (Michaux & Nuttall 1842: 13)
 51. **Quercus mexicana* Bonplant (1809: 35)
 52. **Quercus palustris* Münchhausen (1770: 253)
 53. **Quercus phellos* Linnaeus (1753: 994)
 54. **Quercus pinnatifenulosa* C.H.Muller (1936: 171)
 55. **Quercus ×rehderi* Trel. (1917: 51)
 56. **Quercus ×richteri* Baenitz. (1903: 85) Kneucker (1904)
 57. **Quercus ×robusta* C.H.Mull. (1934: 119)
 58. **Quercus texana* Buckley (1860: 444)

iv.i) Subsection *Agrifoliae* (Trel.) A. Camus (1952 : 46)

59. **Quercus agrifolia* Née (1801: 271)
 60. **Quercus agrifolia* (Torr.) J.T.Howell var. *oxyadenia* (1931: 38)
 61. **Quercus kelloggii* Newb. (1857: 89)
 62. **Quercus wislizeni* A. DC. (1864: 67)

iv.ii) Subsection *Coccineae* (Trel.) A. Camus (1952 : 286)

63. **Quercus acerifolia* (E.J.Palmer) Stoynoff & Hess (1990: 268)
 64. **Quercus buckleyi* Dorr & Nixon #1985: 225(-226)\$
 65. **Quercus coccinea* Münchhausen (1770: 254)
 66. **Quercus ellipsoidalis* E.J.Hill (1899: 204)
 67. **Quercus rubra* Linnaeus (1753: 996)
 68. **Quercus shumardii* Buckley (1861: 444)
 69. **Quercus velutina* Lamarck (1785: 721)

iv. iii) Subsection *Palustres* (Trel.) A. Camus (1952 : 360)

70. **Quercus palustris* Münch. (1770: 253)

71. **Quercus texana* Buckley (1860: 444)

iv. iv) Subsection *Phellos* (G. Don) A. Camus (1952 : 293)

72. **Quercus falcata* Michx. (1801: 28)
73. **Quercus georgiana* M.A.Curtis (1849: 408)
74. **Quercus hemisphaerica* Hort. ex Endl. (1848: 25)
75. **Quercus ilicifolia* Salisb. (1796: 392)
76. **Quercus imbricaria* Michx. (1801: 16)
77. **Quercus laevis* Walter (1788: 234)
78. **Quercus laurifolia* Michx. (1801: 17)
79. **Quercus ×ludoviciana* Sarg. (1913: 223)
80. **Quercus nigra* ×*georgiana*
81. **Quercus nigra* L. (1753: 995-996)
82. **Quercus phellos* L. (1753: 994)

v. Section Ponticae

83. **Quercus pontica* K.Koch (1849: 319)

vi. Section Protobalanus

84. **Quercus chrysolepis* Liebm. (1854: 173)
85. **Quercus tomentella* Engelm. (1877: 393)

vii. Section *Quercus* Nixon & Muller (1997); Denk et. al. (2017: 13) (≡Section *Robur* Loudon (1838: 1731))

86. **Quercus arizonica* Sarg. (1895: 92)
87. **Quercus ×bebbiana* C.K.Schneid. (1904: 201)
88. **Quercus copeyensis* C.H. Muller (1942: 30)
89. **Quercus engelmannii* Greene (1889: 33)
90. **Quercus ×fernowii* Trel. (1917: 49)
91. **Quercus germana* Schlechtendal. & Chamisso (1830: 78) Schlechtendal (1830)
92. **Quercus ×haynaldiana* Simonk. (1883: 63)
93. **Quercus ×hillii* Trel. (1917: 49)
94. **Quercus insignis* M.Martens & Galeotti (1843: 219)
95. **Quercus invaginata* Trel. (1924: 138)
96. **Quercus ×jackiana* C.K.Schneid. (1904: 202)
97. **Quercus mongolica* Fisch. ex Turcz. (1838: 101)
98. **Quercus obtusata* Bonpl. (1809: 76)
99. **Quercus porphyrogenita* Trel. (1924: 51)
100. **Quercus rugosa* Née (1801: 275)
101. **Quercus ×saulii* C.K.Schneid. (1904: 203)
102. **Quercus serrata* Murray (1784: 858)
103. **Quercus stellata* × *Quercus muehlenbergii*
104. **Quercus ×substellata* Trel. (1924: 105)
105. **Quercus turbinella* Greene (1889: 37)
106. **Quercus ×vilmoriniana* A.Camus (1935: 62)

vii.i) Subsection *Albae* (G. Don) A. Camus (1936 : 728)

107. **Quercus alba* L. (1753: 996)
108. **Quercus michauxii* Nuttall (1818: 215)

vii. ii) Subsection *Dumosae* (Trel.) A. Camus (1936 : 462)

- 109. **Quercus berberidifolia* Liebm (1854: 172)
- 110. **Quercus douglasii* Hook. & Arn. (1840: 391)
- 111. **Quercus durata* Jeps. (1909: 356)
- 112. **Quercus ×eplingii* C.H.Mull. (1938: 585)
- 113. **Quercus gambelii* Nutt. (1847: 179)
- 114. **Quercus garryana* Douglas ex Hooker (1838: 159)
- 115. **Quercus garryana* (Engelm.) Jeps. var. *breweri* (1909: 354)
- 116. **Quercus lobata* Née (1801: 277)

vii. iii) Subsection *Macrantherae* (Stef.) Maleev (1935: 163)

- 117. *Quercus ×alentejana* C. Pinto-Gomes & F.M.Vázquez (Vázquez *et al.* 2015: 49)
- 118. *Quercus ×aruciencis* C. Vicioso (1950: 139)
- 119. **Quercus boissieri* Reuter (1853: 119)
- 120. *Quercus canariensis* Willd. (1809: 975)
- 121. **Quercus ×cerrioides* Willk. & Costa (1859: 123)
- 122. *Quercus ×diegoi* F.M. Vázquez, *et al.* (Vinagre *et al.* 2014: 95)
- 123. *Quercus faginea* Lam. (1785: 725)
- 124. **Quercus frainetto* Tenore (1813: 72 (lxxii))
- 125. *Quercus ×fontquerii* O.Schwarz (1936: 85)
- 126. *Quercus lusitanica* Lam. (1785: 719)
- 127. **Quercus macranthera* Fisch. & C.A.Mey. ex Hohen. (1838: 259)
- 128. **Quercus pubescens* Willd. (1796: 279)
- 129. *Quercus pyrenaica* Willd. (1805: 451)
- 130. *Quercus ×tlemcenensis* Trab. (Battandier & Trabut 1905: 308)
- 131. **Quercus virgiliana* (Ten.) Tenore (1838: 262)
- 132. **Quercus vulcanica* Boiss. ex Kotschy (1860: 18)

vii. iv) Subsection *Hartwissianae* (Maleev) Vila-Viçosa, Capelo, Alves, Almeida & F.M. Vázquez *comb. & stat. nov.*

- 133. *Quercus estremadurensis* O. Schwarz (1935: 463)
- 134. **Quercus hartwissiana* Steven (1857: 387)
- 135. **Quercus huguetiana* (Franco & G.López) Rivas Mart. & Sáenz de Rivas (1991: 102)
- 136. *Quercus orocantabrica* Rivas-Martínez (2002: 706)
- 137. **Quercus petraea* (Matt.) Lieblein (1784: 403)
- 138. **Quercus robur* L. (1785: 725)
- 139. **Quercus robur* L. 'Fastigiata' Lamarck (1785: 725)
- 140. **Quercus robur* L. 'Alnarp'
- 141. **Quercus robur* L. 'Salicifolia' Hort. ex Loud. (1838)
- 142. **Quercus robur* subsp. *pedunculiflora* (K.Koch) Menitsky (1967: 129)

vii. vi) Subsection *Polymorphae*

- 143. **Quercus laceyi* Small (1901: 358)
- 144. **Quercus mohriana* Buckley ex Rydb. (1901: 219)
- 145. **Quercus polymorpha* Schltl. & Cham. (1830: 78)
- 146. **Quercus pungens* Liebm. (1854: 171)
- 147. **Quercus vaseyana* Buckley (1883: 91)

vii. vii) Subsection *Prinoideae* (Trel.) A. Camus (1936 : 434)

- 148. **Quercus bicolor* Willd. (1801: 396)
- 149. **Quercus ×humidicola* E.J.Palmer (1937: 140)
- 150. **Quercus ×introgressa* P.M.Thomson (1977: 453)
- 151. **Quercus lyrata* Walter (1788: 235)
- 152. **Quercus macrocarpa* Michx. (1801: 2-3)
- 153. **Quercus ×megaleia* Laughlin (1962: 154)
- 154. **Quercus muehlenbergii* Engelm. (1877: 391)
- 155. **Quercus ×schuettei* Trel . (1917: 51)

v.vi) Subsection *Stellatae* (Trel.) A. Camus

- 156. **Quercus sinuata* Walter (1788: 235)
- 157. **Quercus sinuata* (Torr.) C.H.Muller var. *breviloba* (1944: 439)
- 158. **Quercus stellata* Wangenh. (1787: 78)

vii. section *Virentes* Loudon, (1838: 1918)

- 159. **Quercus oleoides* Schlechtendal. & Chamisso (1830: 79) Schlechtendal (1830)
- 160. **Quercus virginiana* Mill. (1768: 16)

IV. Interseccional Hybrids

- 161. *Quercus ×almeidae* Vila-Viçosa et. al. nothosp. nov.
- 162. *Quercus ×alvesii* Vila-Viçosa et. al. nothosp. nov.
- 163. *Quercus ×auzandri* Grenier & Godron (1855: 119)
- 164. *Quercus ×avellaniformis* Colmeiro & E. Boutelou (1854: 9)
- 165. *Quercus ×capeloana* Vila-Viçosa, Alves, P. Lemos, R. Almeida & F.M. Vázquez nothosp. nov.
- 166. **Quercus ×caroppoi* Medagli, Turco, Albano & Accogli (2019:)
- 167. *Quercus ×celtica* F.M. Vázquez et al. (2003: 52)
- 168. *Quercus ×coscojosuberiformis* Baonza (2007: 365)
- 169. *Quercus ×coutinhoi* Sampaio (1910a: 123)
- 170. **Quercus ×diosdadoi* F.M. Vázques, Coombes, Rodr.-Coombes, Ramos & Doncel (2003: 50)
- 171. *Quercus ×duriensis* Franco & Vasconcellos (1954: 33)
- 172. *Quercus ×eborense* Vila-Viçosa et. al. nothosp. nov
- 173. *Quercus ×gallaecica* F. Llamas et al. (2003: 87)
- 174. **Quercus ×kerneri* Simkovics (1883: 69)
- 175. *Quercus ×lousae* Vila-Viçosa et al. (2014: 145)
- 176. **Quercus ×morisii* Borzí (1881: 10)
- 177. *Quercus ×pacensis* F.M.Vázquez (1996: 249)
- 178. *Quercus ×prasina* Bosc ex Endlicher (Bosc 1807: 330)
- 179. *Quercus ×sampaioana* Vila-Viçosa et al. nothosp. nov.
- 180. *Quercus ×tavaresii* Samp. (1910a: 123)
- 181. *Quercus ×tentudaica* (F.M.Vázquez) F. M.Vázquez (Vázquez et al. 2015: 45)
- 182. **Quercus ×turneri* Willdenow (1809: 975)
- 183. *Quercus ×welwitschii* Samp. (1910a: 123)

Appendix S2. Cultivated taxa

1. *Quercus acerifolia* (E.J.Palmer) Stoynoff & W.J.Hess (1997: 465)
Notes: Nursery of Botanical Garden of the University of Porto
2. *Quercus acutissima* Carruth . (1862: 33)
Notes: Cultivated in the Crystal Palace gardens in Porto.
3. *Quercus afares* Pomel (1875: 391)
Notes: Cultivated in Lisbon.
4. *Quercus agrifolia* (Torr.) J.T.Howell var. *oxyadenia* (1931: 38)
Notes: Nursery of Botanical Garden of the University of Porto
5. *Quercus agrifolia* Née (1801: 271)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
6. *Quercus ×alapensis* Bonpl. (1809: 24)
Notes: Nursery of Botanical Garden of the University of Porto
7. *Quercus alba* L. (1753: 996)
Notes: Nursery of Botanical Garden of the University of Porto
8. *Quercus alnifolia* Poech (1842: 12)
Notes: Cultivated in the University of Lisbon botanical garden (Lisbon).
9. *Quercus arizonica* Sarg. (1895: 92)
Notes: Cultivated in Botanical Garden of the University of Porto
10. *Quercus aucheri* Jaub. & Spach (1843: 113)
Notes: Cultivated in Botanical Garden of the University of Porto
11. *Quercus ×bebbiana* C.K.Schneid. (1904: 201)
Parents: *Q. alba* × *Q. macrocarpa*
Notes: Nursery of Botanical Garden of the University of Porto
12. *Quercus ×benderi* Baen. (1903: 85)
Parental: *Q. coccinea* × *Q. rubra*
Notes: Cultivated in the street in Maia (Porto) and the nursery of the Botanical Garden of the University of Porto
13. *Quercus benthamii* A.DC. (1864: 29)
Notes: Nursery of Botanical Garden of the University of Porto
14. *Quercus berberidifolia* Liebm. (1854: 172)
Notes: Nursery of Botanical Garden of the University of Porto
15. *Quercus bicolor* Willd. (1801: 396)
Notes: Nursery of Botanical Garden of the University of Porto
16. *Quercus boissieri* Reut. (1853: 119)
Notes: Nursery of Botanical Garden of the University of Porto
17. *Quercus brenesii* Trel. (1924: 186)
Notes: Nursery of Botanical Garden of the University of Porto
18. *Quercus buckleyi* Dorr & Nixon #1985: 225(-226)\$
Notes: Nursery of Botanical Garden of the University of Porto
19. *Quercus ×bushii* Sarg. 81918: 453)
Parental: *Q. marilandica* × *Q. velutina*
Notes: Nursery of Botanical Garden of the University of Porto
20. *Quercus calliprinos* Webb (1838: 15)
Notes: Nursery of Botanical Garden of the University of Porto
21. *Quercus calophylla* Schltdl. & Cham. (1830:79)
Notes: Cultivated in the Parque da Lagoa das Furnas (Azores).
22. *Quercus canbyi* Trel. (1924: 188)
Notes: Nursery of Botanical Garden of the University of Porto
23. *Quercus ×caroppoi* Medagli, Turco, Albano & Accogli (2012: ?)
Parental: *Q. cerris* × *Q. coccifera*
Notes: Nursery of Botanical Garden of the University of Porto
24. *Quercus castaneifolia* C.A. Mey. (1831: 44)

- Notes:** Cultivated in the UTAD botanical garden (Vila Real).
25. *Quercus ×catalaunica* Sennen & Pau (1933: 172)
Parental: *Q. coccifera* × *Q. rotundifolia*
Notes: Nursery of Botanical Garden of the University of Porto
26. *Quercus ×cerrioides* Willk. & Costa (1859: 123)
Parental: *Q. canariensis* × *Q. pubescens*
Notes: Nursery of Botanical Garden of the University of Porto
27. *Quercus cerris* L. (1753: 997)
Notes: Cultivated in several botanical gardens and in some private gardens.
28. *Quercus chrysolepis* Liebm. (1854: 173)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
29. *Quercus coccinea* Münchh. (1770: 254)
Notes: Used in gardens and street plantings in Portugal, is sometimes confused with most common *Q. palustris*.
30. *Quercus copeyensis* C.H.Mull. (1942: 30)
Notes: Nursery of Botanical Garden of the University of Porto
31. *Quercus ×crenata* Lam. (1785: 724)
Parental: *Q. cerris* × *Q. suber*
Notes: Cultivated in Lisbon.
32. *Quercus cuprea* Trel. (1936: 152)
Notes: Nursery of Botanical Garden of the University of Porto
33. *Quercus ×diosdadoi* F.M.Vázquez, Coombes, Rodr.-Coombes, Ramos & Doncel (2003: 50)
Parental: *Q. pyrenaica* × *Q. rotundifolia*
Notes: In spite of being potentially spontaneous in Portugal, materials retrieved from Spain are cultivated in the nursery of Botanical Garden of the University of Porto
34. *Quercus douglasii* Hook. & Arn. (1840: 391)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
35. *Quercus durata* Jeps. (1909: 356)
Notes: Cultivated in Botanical Garden of the University of Porto
36. *Quercus ellipsoidalis* E.J.Hill (1899: 204)
Notes: Nursery of Botanical Garden of the University of Porto
37. *Quercus emoryi* Torr. (1848: 152)
Notes: Nursery of Botanical Garden of the University of Porto
38. *Quercus engelmannii* Greene (1889: 33)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
39. *Quercus ×eplingii* C.H.Mull. (1938: 585)
Parental: *Q. douglasii* × *Q. garryana*
Notes: Cultivated in Botanical Garden of the University of Porto
40. *Quercus estremadurensis* O.Schwarz (1935: 463)
Notes: Nursery of Botanical Garden of the University of Porto
41. *Quercus ×exacta* Trel. (1917: 49)
Parental: *Q. imbricaria* × *Q. palustris*
Notes: Nursery of Botanical Garden of the University of Porto
42. *Quercus faginea* Lam. (1785: 725)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
43. *Quercus falcata* Michx. (1801: 28)
Notes: Nursery of Botanical Garden of the University of Porto
44. *Quercus ×fernowii* Trel. (1917: 49)
Parental: *Q. alba* × *Q. stellata*
Notes: Nursery of Botanical Garden of the University of Porto

45. *Quercus floribunda* Lindl. ex A.Camus (1935: 131)
Notes: Nursery of Botanical Garden of the University of Porto
46. *Quercus frainetto* Ten. (1813: 72 (lxii))
Notes: Cultivated in the UTAD botanical garden (Vila Real), some public gardens in Lisbon and Botanical Garden of the University of Porto nursery.
47. *Quercus franchetii* Skan (1899: 513)
Notes: Nursery of Botanical Garden of the University of Porto
48. *Quercus frutex* Trel. (1924: 82)
Notes: Cultivated in the Ajuda botanical garden (Lisbon).
49. *Quercus gambelii* Nutt. (1847: 179)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
50. *Quercus garryana* Douglas ex Hook. (1838: 159)
Notes: Cultivated in the Ajuda botanical garden (Lisbon).
51. *Quercus garryana* (Engelm.) Jeps. var. *breweri* (1909: 354)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
52. *Quercus georgiana* M.A.Curtis (1849: 408)
Notes: Nursery of Botanical Garden of the University of Porto
53. *Quercus germana* Schlehd. & Cham. (1830: 78)
Notes: Nursery of Botanical Garden of the University of Porto
54. *Quercus glauca* Thunb. (1784: 858)
Notes: Nursery of Botanical Garden of the University of Porto
55. *Quercus gravesii* Sudw. (1927: 86)
Notes: Nursery of Botanical Garden of the University of Porto
56. *Quercus griffithii* Hook.f. & Thomson ex Miq. (1863: 104)
Notes: Nursery of Botanical Garden of the University of Porto
57. *Quercus hartwissiana* Steven (1857: 387)
Notes: Nursery of Botanical Garden of the University of Porto
58. *Quercus ×haynaldiana* Simonk. (1883: 63)
Parental: *Q. frainetto* × *Q. robur*
Notes: Nursery of Botanical Garden of the University of Porto
59. *Quercus hemisphaerica* Hort. ex Endl. (1848: 25)
Notes: Nursery of Botanical Garden of the University of Porto
60. *Quercus ×hickelii* A.Camus (1935: 60)
Parental: *Q. pontica* × *Q. robur*
Notes: Nursery of Botanical Garden of the University of Porto
61. *Quercus ×hillii* Trel. (1917: 49)
Parental: *Q. alba* × *Q. muehlenbergii*
Notes: Nursery of Botanical Garden of the University of Porto
62. *Quercus huguetiana* (Franco & G.López) Rivas Mart. & Sáenz de Rivas (1991: 102)
Notes: Nursery of Botanical Garden of the University of Porto
63. *Quercus humboldtii* Bonpl. (1809: 155)
Notes: Nursery of Botanical Garden of the University of Porto
64. *Quercus ×humidicola* E.J.Palmer (1937: 140)
Parental: *Q. bicolor* × *Q. lyrata*
Notes: Nursery of Botanical Garden of the University of Porto
65. *Quercus ilex* L. (1753: 995)
Notes: Cultivated in several botanical gardens and in some public and private gardens
66. *Quercus ilicifolia* Salisb. (1796: 392)
Notes: Nursery of Botanical Garden of the University of Porto
67. *Quercus imbricaria* Michx. (1801: 16)
Notes: Cultivated in several botanical gardens and in some public and private gardens.
68. *Quercus insignis* M.Martens & Galeotti (1843: 219)
Notes: Nursery of Botanical Garden of the University of Porto

69. *Quercus ×introgressa* P.M.Thomson (1977: 453)
Parental: *Q. bicolor* × (*muehlenbergii* × *prinoides*)
Notes: Nursery of Botanical Garden of the University of Porto
70. *Quercus invaginata* Trel. (1924: 138)
Notes: Nursery of Botanical Garden of the University of Porto
71. *Quercus ithaburensis* Decne. (1835: 348)
Notes: Cultivated in the Parque da Lagoa das Furnas (Azores).
72. *Quercus ×jackiana* C.K.Schneid. (1904: 202)
Parental: *Q. alba* × *Q. bicolor*
Notes: Nursery of Botanical Garden of the University of Porto
73. *Quercus kelloggii* Newb. (1857: 89)
Notes: Nursery of Botanical Garden of the University of Porto
74. *Quercus ×kerneri* Simonk. (1883: 69)
Parental: *Q. pubescens* × *Q. rotundifolia*
Notes: Nursery of Botanical Garden of the University of Porto.
75. *Quercus laceyi* Small (1901: 358)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
76. *Quercus laevis* Walter (1788: 234)
Notes: Nursery of Botanical Garden of the University of Porto
77. *Quercus lamellosa* Sm. (1814: 29)
Notes: Cultivated in Botanical Garden of the University of Porto
78. *Quercus lanata* Sm. (1814: 29)
Notes: Nursery of Botanical Garden of the University of Porto
79. *Quercus laurifolia* Michx. (1801: 17)
Notes: Cultivated in Lisbon.
80. *Quercus laurina* Bonpl. (1809: 32)
Notes: Nursery of Botanical Garden of the University of Porto
81. *Quercus ×leana* Nutt. (Michaux & Nuttall 1842: 13)
Parental: *Q. imbricaria* × *Quercus velutina* Lamarck (1785:721)
Notes: Cultivated in the garden of La Sallet park (Oliveira de Azeméis).
82. *Quercus leucotrichophora* A.Camus (1935: 66)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
83. *Quercus ×libanerris* Boom (1959: 157)
Parental: *Q. cerris* × *Q. libani*
Notes: Nursery of Botanical Garden of the University of Porto
84. *Quercus libani* G.Olivier (1804: 290)
Notes: Nursery of Botanical Garden of the University of Porto
85. *Quercus lineata* Blume (1826: 523)
Notes: Nursery of Botanical Garden of the University of Porto
86. *Quercus lobata* Née (1801: 277)
Notes: Nursery of Botanical Garden of the University of Porto
87. *Quercus ×ludoviciana* Sarg. (1913: 223)
Parental: *Q. pagoda* × *Q. phellos*
Notes: Nursery of Botanical Garden of the University of Porto
88. *Quercus lyrata* Walter (1788: 235)
Notes: Nursery of Botanical Garden of the University of Porto
89. *Quercus macranthera* Fisch. & C.A.Mey. (1838: 259)
Notes: Nursery of Botanical Garden of the University of Porto
90. *Quercus macrocarpa* Michx. (1801: 2-3)
Notes: Cultivated in the University of Coimbra botanical garden.
91. *Quercus macrolepis* Kotschy (1859: 16)
Notes: Nursery of Botanical Garden of the University of Porto
92. *Quercus ×megaleia* Laughlin (1962: 154)

- Parental:** *Q. lyrata* × *Q. macrocarpa*
Notes: Nursery of Botanical Garden of the University of Porto
93. *Quercus mexicana* Bonpl. (1809: 35)
Notes: Nursery of Botanical Garden of the University of Porto
94. *Quercus michauxii* Nutt. (1818: 215)
Notes: Cultivated in the Parque José do Canto (Azores).
95. *Quercus mohriana* Buckley ex Rydb. (1901: 219)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
96. *Quercus mongolica* Fisch. ex Turcz. (1838: 101)
Notes: Nursery of Botanical Garden of the University of Porto
97. *Quercus morii* Hayata (1911: 293)
Notes: Nursery of Botanical Garden of the University of Porto
98. *Quercus ×morisii* Borzí (1881: 10)
Parental: *Q. ilex* × *Q. suber*
Notes: Cultivated in Parque da Penha (Guimarães).
99. *Quercus muehlenbergii* Engelm. (1877: 391)
Notes: Nursery of Botanical Garden of the University of Porto
100. *Quercus myrsinifolia* Blume (1851: 305)
Notes: Cultivated in Botanical Garden of the University of Porto (Porto).
101. *Quercus nigra* L. (1753: 995-996)
Notes: Cultivated in the Parque da Lagoa das Furnas (Azores).
102. *Quercus nigra* × *georgiana*
Notes: Nursery of Botanical Garden of the University of Porto
103. *Quercus obtusata* Bonpl. (1809: 76)
Notes: Nursery of Botanical Garden of the University of Porto
104. *Quercus oleoides* Schlehd. & Cham. (1830: 79) Schlechtendal (1830)
Notes: Nursery of Botanical Garden of the University of Porto
105. *Quercus palustris* Münch. (1770: 253)
Notes: Very common in gardens and street plantings in Portugal, being sometimes confused with *Q. coccinea*. Both are easily distinguished by the terminal buds, which are completely glabrous in *Q. palustris* and hairy in the upper part in *Q. coccinea*. *Q. palustris* has a quite distinctive branching pattern (drooping lower branches, horizontal middle branches and ascending upper branches).
106. *Quercus petraea* (Matt.) Lieblein (1784: 403)
Notes: Cultivated across the country
107. *Quercus phellos* L. (1753: 994)
Notes: Cultivated in UTAD botanical garden (Vila Real) and in the Parque José do Canto (Azores).
108. *Quercus phillyreoides* A. Gray (1858: 406)
Notes: Cultivated in the Ajuda botanical garden (Lisbon).
109. *Quercus pinnatifervulosa* C.H.Mull. (1936: 171)
Notes: Nursery of Botanical Garden of the University of Porto.
110. *Quercus polymorpha* Schlehd. & Cham. (1830: 78)
Notes: Nursery of Botanical Garden of the University of Porto
111. *Quercus pontica* K.Koch (1849: 319)
Notes: Nursery of Botanical Garden of the University of Porto
112. *Quercus porphyrogenita* Trel. (1924: 51)
Notes: Nursery of Botanical Garden of the University of Porto
113. *Quercus pubescens* Willd. (1796: 279)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
114. *Quercus pungens* Liebm. (1854: 171)
Notes: Cultivated in Botanical Garden of the University of Porto
115. *Quercus ×rehderi* Trel. (1917: 51)

- Parental:** *Q. ilicifolia* × *Q. velutina*
Notes: Nursery of Botanical Garden of the University of Porto
- 116.** *Quercus ×richteri* Baenitz. (1903: 85)
Parental: *Q. palustris* × *Q. rubra*
Notes: In gardens in Porto city.
- 117.** *Quercus robur* L. (1785: 725)
Notes: Cultivated in Botanical Garden of the University of Porto and Nursery of Botanical Garden of the University of Porto
- 118.** *Quercus robur* L. 'Fastigiata' Lam (1785: 725)
Notes: Cultivated in several public gardens.
- 119.** *Quercus robur* L. 'Alnarp' Unpublished
Notes: Nursery of Botanical Garden of the University of Porto
- 120.** *Quercus robur* L. 'Salicifolia'
Notes: Nursery of Botanical Garden of the University of Porto
- 121.** *Quercus robur* subsp. *pedunculiflora* (K.Koch) Menitsky (1967: 129)
Notes: Cultivated in Botanical Garden of the University of Porto
- 122.** *Quercus ×robusta* C.H.Mull. (1934: 119)
Parental: *Q. emoryi* × *Q. gravesii*
Notes: Nursery of Botanical Garden of the University of Porto
- 123.** *Quercus rubra* L. (1753: 996)
Notes: *Quercus rubra* is the most common non-native oak in Portugal, used in forest production, parks, gardens and streets.
- 124.** *Quercus rugosa* Née (1801: 275)
Notes: Cultivated in the Botanical Garden of the University of Porto (Porto).
- 125.** *Quercus ×saulii* C.K.Schneid. (1904: 203)
Parental: *Q. alba* × *Q. prinus*
Notes: Nursery of Botanical Garden of the University of Porto
- 126.** *Quercus schottkyana* Rehder & E.H.Wilson (1916: 237)
Notes: Nursery of Botanical Garden of the University of Porto.
- 127.** *Quercus ×schuettei* Trel. (1917: 51)
Parental: *Q. bicolor* × *Q. macrocarpa*
Notes: Nursery of Botanical Garden of the University of Porto
- 128.** *Quercus serrata* Murray (1784: 858)
Notes: Nursery of Botanical Garden of the University of Porto
- 129.** *Quercus sessilifolia* Blume (1851: 305)
Notes: Nursery of Botanical Garden of the University of Porto.
- 130.** *Quercus shumardii* Buckley (1860: 444)
Notes: Nursery of Botanical Garden of the University of Porto
- 131.** *Quercus sinuata* (Torr.) C.H.Muller var. *breviloba* (1944: 439)
Notes: Cultivated in Botanical Garden of the University of Porto
- 132.** *Quercus sinuata* Walter (1788: 235)
Notes: Nursery of Botanical Garden of the University of Porto
- 133.** *Quercus stellata* ×*muehlenbergii*
Notes: Nursery of Botanical Garden of the University of Porto
- 134.** *Quercus stellata* Wangenh. (1787: 78)
Notes: Nursery of Botanical Garden of the University of Porto
- 135.** *Quercus stenophylloides* Hayata (1914: 21)
Notes: Nursery of Botanical Garden of the University of Porto
- 136.** *Quercus ×substellata* Trel. (1924: 105)
Parental: *Q. bicolor* × *Q. stellata*
Notes: Nursery of Botanical Garden of the University of Porto
- 137.** *Quercus texana* Buckley (1860: 444)
Notes: Cultivated in the University of Coimbra botanical garden (Coimbra).
- 138.** *Quercus tomentella* Engelm. (1877: 393)
Notes: Cultivated in Botanical Garden of the University of Porto

- 139.** *Quercus turbinella* Greene (1889: 37)
Notes: Cultivated in Botanical Garden of the University of Porto
- 140.** *Quercus ×turneri* Willd. (1809: 975) *non sensu* A. Candolle (1871: 43)
Parental: *Q. ilex* × *Q. robur*
Notes: Cultivated in Campo Grande (Lisbon).
- 141.** *Quercus variabilis* Blume (1851: 297)
Notes: Nursery of Botanical Garden of the University of Porto
- 142.** *Quercus vaseyana* Buckley (1883: 91)
Notes: Nursery of Botanical Garden of the University of Porto
- 143.** *Quercus velutina* Lam. (1785:721)
Notes: Cultivated in a Municipal Garden in Vila da Feira (Santa Maria da Feira, Porto) and Botanical Garden of the University of Porto.
- 144.** *Quercus ×vilmoriniana* A.Camus (1935: 62)
Parental: *Q. dentata* × *Q. petraea*
Notes: Nursery of Botanical Garden of the University of Porto
- 145.** *Quercus virgiliana* (Ten.) Ten. (1838: 262)
Notes: Cultivated in parquet de Monsanto (Lisbon).
- 146.** *Quercus virginiana* Mill. (1768: 16)
Notes: Nursery of Botanical Garden of the University of Porto
- 147.** *Quercus vulcanica* Boiss. ex Kotschy (1859: 18)
Notes: Nursery of Botanical Garden of the University of Porto
- 148.** *Quercus wislizeni* A.DC. (1864: 67)
Notes: Nursery of Botanical Garden of the University of Porto.